

BOSQUES

Latitud Cero

ISSNe 2528-7818

DOI: 10.54753/blc.v15i2

Revista Científica Indexada

Volumen 15 | Número 2 | Año 2025



Editorial Universidad Nacional de Loja

Dirección: Ciudad Universitaria Guillermo Falconí. Loja - Ecuador

Cod. Postal: 110111 **P.B.X:** +593 7 254 7252

email: bosqueslatitudcero@unl.edu.ec

www.unl.edu.ec  revistas.unl.edu.ec/index.php/bosques



Diversidad florística del río Lagartococha, Reserva de Producción Faunística Cuyabeno, Amazonia ecuatoriana			
Floristic diversity of the Lagartococha River basin, Cuyabeno Wildlife Reserve, Ecuadorian Amazon			
Nicolas Carvajal ¹ , Thomas L.P. Couvreur ^{1,2} , Kevin S. Burgess ^{3,4} , Edison Rea ^{1,5} , Andrea Fernández ¹ , Renata Barrera ¹ , Francisco Tobar ^{6,7} , Alix Lozinguez ^{1,2} , Alvaro J. Pérez ¹			
1 Herbario QCA, Escuela de Ciencias Biológicas, Pontificia Universidad Católica del Ecuador, Quito, Ecuador, 2 DIADE, Univ Montpellier, CIRAD, IRD, Montpellier, France. 3 Department of Biomedical Sciences, Mercer University School of Medicine, 1633 1st Avenue, Columbus, Georgia 31901, USA. 4 Department of Biology, Columbus State University, Columbus, GA 31907, USA. 5 Department of Biology, University of Kentucky, Lexington, Kentucky 40506, USA. 6 Área de Investigación y Monitoreo de Avifauna, Aves y Conservación-BirdLife en Ecuador, Quito, Ecuador. 7 Herbario Nacional del Ecuador, Instituto Nacional de Biodiversidad, Pasaje Rumipamba 341 y Av. de los Shyris, 170135, Quito, Pichincha, Ecuador			
Email: ajperezc@puce.edu.ec		Bosques Latitud Cero 15(2), 63-105. 2025	https://doi.org/10.54753/blc.v15i2.2424

RECIBIDO: 28/01/2025

ACEPTADO: 12/05/2025

PUBLICADO: 02/07/2025

RESUMEN

La Reserva de Producción de Fauna Cuyabeno, ubicada en el noreste de Ecuador, alberga una amplia diversidad de ecosistemas, incluidos ríos, lagunas, pastizales y bosques. Este estudio se centra en la cuenca del río Lagartococha, con el objetivo de desarrollar una guía fotográfica de su diversidad vegetal, destinada a las comunidades indígenas, turistas, guardaparques y guías. El trabajo de campo realizado en marzo y julio de 2023 resultó en la recolección de 210 muestras de herbario y la identificación de 184 especies de plantas, incluidas nuevas especies registradas para Ecuador, como *Actinostachys pennula* y *Heteropterys orinocensis*. Además, se recolectaron especies que podrían ser nuevas para la ciencia, como una especie de *Unonopsis* y dos especies distintas de *Annona*. Aunque esta guía destaca la extraordinaria biodiversidad de la región y su potencial para descubrimientos botánicos, no es exhaustiva y subraya la necesidad de realizar estudios florísticos más amplios. Los hallazgos reafirman la importancia ecológica de esta área y enfatizan la relevancia de los esfuerzos de conservación en esta región de alto valor ecológico.

Palabras clave: Cuyabeno, Río Lagartococha, Diversidad, Taxonomía, Florística

ABSTRACT

The Cuyabeno Wildlife Reserve, located in northeastern Ecuador, is home to a diverse range of ecosystems, including rivers, lagoons, grasslands, and forests. This study focuses on the Lagartococha River Basin, aiming to develop a photographic guide to its plant diversity for use by indigenous communities, tourists, park rangers, and guides. Fieldwork conducted in March and July 2023 yielded 210 herbarium samples and identified 184 plant species, including new records for Ecuador, such as *Actinostachys pennula* and *Heteropterys orinocensis*. Additionally, potentially new species to science were collected, including a *Unonopsis* species and two distinct *Annona* species. While this guide highlights the region's extraordinary biodiversity and potential for botanical discoveries, it is not exhaustive and underscores the need for further comprehensive floristic studies. The findings emphasize the importance of conservation efforts in this ecologically significant area.

Keywords: Cuyabeno, Lagartococha river, Diversity, Taxonomy, Floristics

The Cuyabeno Wildlife Reserve is located in northeastern Ecuador (Mestanza & Mooser, 2018). The reserve encompasses areas within the Putumayo Canton (Sucumbios Province) and the Aguarico Canton, in the province of Orellana. The reserve covers an area of 590,112 hectares (Ministerio del Ambiente, 2012). Within its territory, there are three main rivers: the Cuyabeno River, located in the northeast, the Lagartococha River, in the east, which marks the border with Peru (Denkinger, 2010), and the Aguarico River, which crosses the reserve from west to east (Vásquez et al., 2023).

The reserve's water source originates in the Amazon Basin (Sioli, 1984), with the Aguarico River receiving water from the Andean runoff and the Cuyabeno and Lagartococha are primarily due to the decomposition of leaf organic material. There is a diversity of ecosystems along the river, including grasslands, Igapó forests, *terra firme* forests and numerous lagoons (Terneus, 2017).




Figure 1. Location of the Cuyabeno Wildlife Reserve (red). The sampling area along the Lagartococha river is highlighted in green on the inset map.

Diversidad florística del río Lagartococha, Reserva de Producción Faunística Cuyabeno, Amazonia ecuatoriana Floristic diversity of the Lagartococha River basin, Cuyabeno Wildlife Reserve, Ecuadorian Amazon			
Nicolas Carvajal ¹ , Thomas L.P. Couvreur ^{1,2} , Kevin S. Burgess ^{3,4} , Edison Rea ^{1,5} , Andrea Fernández ¹ , Renata Barrera ¹ , Francisco Tobar ^{6,7} , Alix Lozinguez ^{1,2} , Álvaro J. Pérez ¹			
1 Herbario QCA, Escuela de Ciencias Biológicas, Pontificia Universidad Católica del Ecuador, Quito, Ecuador, 2 DIADE, Univ Montpellier, CIRAD, IRD, Montpellier, France. 3 Department of Biomedical Sciences, Mercer University School of Medicine, 1633 1st Avenue, Columbus, Georgia 31901, USA. 4 Department of Biology, Columbus State University, Columbus, GA 31907, USA. 5 Department of Biology, University of Kentucky, Lexington, Kentucky 40506, USA. 6 Área de Investigación y Monitoreo de Avifauna, Aves y Conservación-BirdLife en Ecuador, Quito, Ecuador. 7 Herbario Nacional del Ecuador, Instituto Nacional de Biodiversidad, Pasaje Rumipamba 341 y Av. de los Shyris, 170135, Quito, Pichincha, Ecuador			
Email: ajperezc@puce.edu.ec Bosques Latitud Cero 15(2), 63-105. 2025 https://doi.org/10.54753/blc.v15i2.2424			



Figure 2. Panoramic view of the Lagartococha River, showing a variety of vegetation types and lagoon systems. Photograph by Dracaena S.A.

This study focuses on creating a photographic guide of the plants of the Lagartococha River Basin for use by indigenous peoples, tourists, park rangers, and reserve guides, to name a few. The fieldwork was carried out during two separate field expeditions, one during March and then in July 2023. Plant sampling spans an area from the Garza Cocha lagoon to the mouth of the Aguarico River, mostly collecting along the riverside and nearby *terra firme*. Although a high level of diversity has been recorded, this guide aims to facilitate the identification and appreciation of the rich biodiversity present in the region. A total of 210 herbarium samples were collected and 184 species reported; the most diverse family was Annonaceae (31 spp.), followed by Rubiaceae (11 spp.), Fabaceae (11 spp.), Orchidaceae (10 spp.), Lauraceae (6 spp.), Arecaceae (7 spp.), Araceae (6 spp.), and Polypodiaceae (6 spp.).



Figure 4. Navigating by canoe for the collection of plant specimens along the banks of the Lagartococha River. Photograph by Thomas Couvreur.

Tourism is a growing activity in the Cuyabeno Wildlife Reserve, attracting thousands of visitors each year interested in exploring its rich biodiversity and experiencing indigenous culture. The number of tourists visiting the reserve varies from about 8,000 to 10,000 annually (Ministerio del Ambiente, 2012), reflecting a sustained interest in this Ecuadorian natural gem.

The floristic composition of the reserve has been the subject of various scientific studies, which have documented a wide variety of plant species per hectare (Valencia et al., 1994), many of which are endemic to the region and of great ecological value. However, the level of knowledge about this floristic diversity requires more detailed studies to more fully understand its rich composition and dispersion (Cerón et al., 2005); research efforts are crucial for the conservation and management of this unique ecosystem.



Figure 3. Igapo vegetation along the Lagartococha River, dominated by *Macrobium acaciifolium*. Photograph by Thomas Couvreur.

We recorded several species that are new records for Ecuador. For example, *Actinostachys pennula* (Sw.) Hook. (Schizaeaceae) was discovered growing with abundant organic matter in Igapo ground vegetation, a species that was expected to occur in Ecuador, but had previously only been recorded in other Amazonian countries. Similarly, *Heteropterys orinocensis* (Kunth) A. Juss. (Malpighiaceae), a new record liana with long ferrugineous inflorescences was found to be abundant along the Lagartococha riverside. An interesting finding was the location of an emergent tree (35 m tall, 98 cm DBH) with bright yellow flowers identified as *Cochlospermum orinocense* (Kunth) Steud. (Bixaceae), only known previously in Morona Santiago province (2008), and thus our collection is a new record for Sucumbíos province. In addition, our collection record for the filmy fern, *Trichomanes tanaicum* J.W. Sturm (Hymenophyllaceae), is only the second known

Diversidad florística del río Lagartococha, Reserva de Producción Faunística Cuyabeno, Amazonia ecuatoriana		
Floristic diversity of the Lagartococha River basin, Cuyabeno Wildlife Reserve, Ecuadorian Amazon		
Nicolas Carvajal ¹ , Thomas L.P. Couvreur ^{1,2} , Kevin S. Burgess ^{3,4} , Edison Rea ^{1,5} , Andrea Fernández ¹ , Renata Barrera ¹ , Francisco Tobar ^{6,7} , Alix Lozinguez ^{1,2} , Alvaro J. Pérez ¹		
1 Herbario QCA, Escuela de Ciencias Biológicas, Pontificia Universidad Católica del Ecuador, Quito, Ecuador, 2 DIADE, Univ Montpellier, CIRAD, IRD, Montpellier, France. 3 Department of Biomedical Sciences, Mercer University School of Medicine, 1633 1st Avenue, Columbus, Georgia 31901, USA. 4 Department of Biology, Columbus State University, Columbus, GA 31907, USA. 5 Department of Biology, University of Kentucky, Lexington, Kentucky 40506, USA. 6 Área de Investigación y Monitoreo de Avifauna, Aves y Conservación-BirdLife en Ecuador, Quito, Ecuador. 7 Herbario Nacional del Ecuador, Instituto Nacional de Biodiversidad, Pasaje Rumipamba 341 y Av. de los Shyris, 170135, Quito, Pichincha, Ecuador		
Email: ajperezc@puce.edu.ec	Bosques Latitud Cero 15(2), 63-105. 2025	https://doi.org/10.54753/blc.v15i2.2424

locality in Ecuador and two species of Annonaceae are new records for the country: *Oxandra leucodermis* and *Unonopsis cf. stipiata* (Maas et al., 2003; Maas et al., 2007).

We also collected species that are potentially new to science. One is a new species of *Unonopsis*, characterized by densely erect hairy on the young branches and lower side of the leaves, while two other collections are possibly new species of *Annona*: *Annona* sp. 1, a large tree with a light underside of its leaves (this species has been collected also in Yasuní, and is currently being described) and *Annona* sp. 2, characterized by its lianescent habitat, pubescent young branches and single-flowered inflorescences.

The aquatic plant community is diverse along the Lagartococha River; for example, we recorded two species of bladderworts (Lentibulariaceae, *Utricularia foliosa* L. and *U. inflata* Walter), that are specialized insectivorous free-floating herbs. The aquatic grass, *Hymenachne donacifolia* (Raddi) Chase, forms floating mats that flow along the river and lagoons and are eaten

by manatees. In addition, we collected three species of water ferns: *Ceratopteris pteridoides* (Hook.) Hieron. (Pteridaceae), that was collected for the first time, in the same locality, more than 40 years ago; the mosquito fern (*Azolla* sp.); and the water moss (*Salvinia auriculata* Aubl.) that share the habitat and forms dense mats.

Although these two expeditions resulted in the collection of a wide variety of plant species, including some new records for Ecuador and potentially new species to science, our findings are skewed towards groups of taxa of research interest to the specialists who accompanied the expedition, leading to inflated numbers of species in these taxa. Consequently, this guide is not exhaustive and represents only one aspect of this rich flora. Nonetheless, we highlight the immense potential of this region for botanical discoveries, species descriptions, and conservation efforts, especially given the diversity of ecosystems it encompasses. More comprehensive floristic inventories should be conducted in this region in the future.

Diversidad florística del río Lagartococha, Reserva de Producción Faunística Cuyabeno, Amazonia ecuatoriana			
Floristic diversity of the Lagartococha River basin, Cuyabeno Wildlife Reserve, Ecuadorian Amazon			
Nicolas Carvajal ¹  , Thomas L.P. Couvreur ^{1,2}  , Kevin S. Burgess ^{3,4}  , Edison Rea ^{1,5}  , Andrea Fernández ¹  , Renata Barrera ¹  , Francisco Tobar ^{6,7}  , Alix Lozinguez ^{1,2}  , Alvaro J. Pérez ¹ 			
1 Herbario QCA, Escuela de Ciencias Biológicas, Pontificia Universidad Católica del Ecuador, Quito, Ecuador, 2 DIADE, Univ Montpellier, CIRAD, IRD, Montpellier, France. 3 Department of Biomedical Sciences, Mercer University School of Medicine, 1633 1st Avenue, Columbus, Georgia 31901, USA. 4 Department of Biology, Columbus State University, Columbus, GA 31907, USA. 5 Department of Biology, University of Kentucky, Lexington, Kentucky 40506, USA. 6 Área de Investigación y Monitoreo de Avifauna, Aves y Conservación-BirdLife en Ecuador, Quito, Ecuador. 7 Herbario Nacional del Ecuador, Instituto Nacional de Biodiversidad, Pasaje Rumipamba 341 y Av. de los Shyris, 170135, Quito, Pichincha, Ecuador			
Email: ajperezc@puce.edu.ec	Bosques Latitud Cero 15(2), 63-105. 2025	https://doi.org/10.54753/blc.v15i2.2424	



1 *Tapirira guianensis*
ANACARDIACEAE



2 *Tapirira guianensis*
ANACARDIACEAE



3 *Tapirira guianensis*
ANACARDIACEAE



4 *Anaxagorea brachycarpa*
ANNONACEAE



5 *Anaxagorea brachycarpa*
ANNONACEAE



6 *Anaxagorea brachycarpa*
ANNONACEAE



7 *Annona cf. ambotay*
ANNONACEAE



8 *Annona cf. ambotay*
ANNONACEAE



9 *Annona cf. ambotay*
ANNONACEAE



10 *Annona cf. ambotay*
ANNONACEAE



11 *Annona cf. ambotay*
ANNONACEAE



12 *Annona edulis*
ANNONACEAE



13 *Annona edulis*
ANNONACEAE



14 *Annona edulis*
ANNONACEAE



15 *Annona hypoglauca*
ANNONACEAE

Diversidad florística del río Lagartococha, Reserva de Producción Faunística Cuyabeno, Amazonia ecuatoriana

Floristic diversity of the Lagartococha River basin, Cuyabeno Wildlife Reserve, Ecuadorian Amazon

Nicolas Carvajal¹, Thomas L.P. Couvreur^{1,2}, Kevin S. Burgess^{3,4}, Edison Rea^{1,5}, Andrea Fernández¹, Renata Barrera¹, Francisco Tobar^{6,7}, Alix Lozinguez^{1,2}, Alvaro J. Pérez¹


1 Herbario QCA, Escuela de Ciencias Biológicas, Pontificia Universidad Católica del Ecuador, Quito, Ecuador, 2 DIADE, Univ Montpellier, CIRAD, IRD, Montpellier, France. 3 Department of Biomedical Sciences, Mercer University School of Medicine, 1633 1st Avenue, Columbus, Georgia 31901, USA. 4 Department of Biology, Columbus State University, Columbus, GA 31907, USA. 5 Department of Biology, University of Kentucky, Lexington, Kentucky 40506, USA. 6 Área de Investigación y Monitoreo de Avifauna, Aves y Conservación-BirdLife en Ecuador, Quito, Ecuador. 7 Herbario Nacional del Ecuador, Instituto Nacional de Biodiversidad, Pasaje Rumipamba 341 y Av. de los Shyris, 170135, Quito, Pichincha, Ecuador



Email: ajperezc@puce.edu.ec

Bosques Latitud Cero 15(2), 63-105. 2025

<https://doi.org/10.54753/blc.v15i2.2424>



16 *Annona hypoglauca*
ANNONACEAE



17 *Annona* sp. 1
ANNONACEAE



18 *Annona* sp. 1
ANNONACEAE



19 *Annona* sp. 1
ANNONACEAE



20 *Annona* sp. 1
ANNONACEAE



21 *Annona* sp. 2
ANNONACEAE



22 *Annona* sp. 2
ANNONACEAE



23 *Annona* sp. 2
ANNONACEAE



24 *Crematosperma*
cauliflorum
ANNONACEAE



25 *Crematosperma*
cauliflorum
ANNONACEAE



26 *Crematosperma*
cauliflorum
ANNONACEAE



27 *Duguetia macrophylla*
ANNONACEAE



28 *Duguetia macrophylla*
ANNONACEAE



29 *Duguetia odorata*
ANNONACEAE



30 *Duguetia odorata*
ANNONACEAE

Diversidad florística del río Lagartococha, Reserva de Producción Faunística Cuyabeno, Amazonia ecuatoriana			
Floristic diversity of the Lagartococha River basin, Cuyabeno Wildlife Reserve, Ecuadorian Amazon			
Nicolas Carvajal ¹  , Thomas L.P. Couvreur ^{1,2}  , Kevin S. Burgess ^{3,4}  , Edison Rea ^{1,5}  , Andrea Fernández ¹  , Renata Barrera ¹  , Francisco Tobar ^{6,7}  , Alix Loziquez ^{1,2}  , Alvaro J. Pérez ¹ 			
1 Herbario QCA, Escuela de Ciencias Biológicas, Pontificia Universidad Católica del Ecuador, Quito, Ecuador, 2 DIADE, Univ Montpellier, CIRAD, IRD, Montpellier, France. 3 Department of Biomedical Sciences, Mercer University School of Medicine, 1633 1st Avenue, Columbus, Georgia 31901, USA. 4 Department of Biology, Columbus State University, Columbus, GA 31907, USA. 5 Department of Biology, University of Kentucky, Lexington, Kentucky 40506, USA. 6 Área de Investigación y Monitoreo de Avifauna, Aves y Conservación-BirdLife en Ecuador, Quito, Ecuador. 7 Herbario Nacional del Ecuador, Instituto Nacional de Biodiversidad, Pasaje Rumipamba 341 y Av. de los Shyris, 170135, Quito, Pichincha, Ecuador			
Email: ajperezc@puce.edu.ec	Bosques Latitud Cero 15(2), 63-105. 2025	https://doi.org/10.54753/blc.v15i2.2424	



31 *Duguetia odorata*
ANNONACEAE



32 *Duguetia spixiana*
ANNONACEAE



33 *Duguetia spixiana*
ANNONACEAE



34 *Duguetia spixiana*
ANNONACEAE



35 *Duguetia* sp. 1
ANNONACEAE



36 *Duguetia* sp. 1
ANNONACEAE



37 *Guatteria* cf. *modesta*
ANNONACEAE



38 *Guatteria* cf. *modesta*
ANNONACEAE



39 *Guatteria* cf. *modesta*
ANNONACEAE



40 *Guatteria pastazae*
ANNONACEAE



41 *Guatteria pastazae*
ANNONACEAE



42 *Guatteria pastazae*
ANNONACEAE



43 *Guatteria* cf. *punctata*
ANNONACEAE



44 *Guatteria* cf. *punctata*
ANNONACEAE



45 *Guatteria* cf. *punctata*
ANNONACEAE

Diversidad florística del río Lagartococha, Reserva de Producción Faunística Cuyabeno, Amazonia ecuatoriana			
Floristic diversity of the Lagartococha River basin, Cuyabeno Wildlife Reserve, Ecuadorian Amazon			
Nicolas Carvajal ¹ , Thomas L.P. Couvreur ^{1,2} , Kevin S. Burgess ^{3,4} , Edison Rea ^{1,5} , Andrea Fernández ¹ , Renata Barrera ¹ , Francisco Tobar ^{6,7} , Alix Lozinguez ^{1,2} , Alvaro J. Pérez ¹			
1 Herbario QCA, Escuela de Ciencias Biológicas, Pontificia Universidad Católica del Ecuador, Quito, Ecuador, 2 DIADE, Univ Montpellier, CIRAD, IRD, Montpellier, France. 3 Department of Biomedical Sciences, Mercer University School of Medicine, 1633 1st Avenue, Columbus, Georgia 31901, USA. 4 Department of Biology, Columbus State University, Columbus, GA 31907, USA. 5 Department of Biology, University of Kentucky, Lexington, Kentucky 40506, USA. 6 Área de Investigación y Monitoreo de Avifauna, Aves y Conservación-BirdLife en Ecuador, Quito, Ecuador. 7 Herbario Nacional del Ecuador, Instituto Nacional de Biodiversidad, Pasaje Rumipamba 341 y Av. de los Shyris, 170135, Quito, Pichincha, Ecuador			
Email: ajperezc@puce.edu.ec	Bosques Latitud Cero 15(2), 63-105. 2025	https://doi.org/10.54753/blc.v15i2.2424	



46 *Guatteria stipitata*
ANNONACEAE



47 *Guatteria stipitata*
ANNONACEAE



48 *Guatteria stipitata*
ANNONACEAE



49 *Guatteria* sp. 1
ANNONACEAE



50 *Guatteria* sp. 1
ANNONACEAE



51 *Guatteria* sp. 1
ANNONACEAE



52 *Guatteria* sp. 1
ANNONACEAE



53 *Guatteria* sp. 2
ANNONACEAE



54 *Guatteria* sp. 2
ANNONACEAE



55 *Klarobelia cauliflora*
ANNONACEAE



56 *Klarobelia cauliflora*
ANNONACEAE



57 *Klarobelia cauliflora*
ANNONACEAE



58 *Klarobelia cauliflora*
ANNONACEAE



59 *Oxandra euneura*
ANNONACEAE



60 *Oxandra euneura*
ANNONACEAE





76 *Unonopsis guatterioides*
ANNONACEAE



77 *Unonopsis guatterioides*
ANNONACEAE




78 *Unonopsis guatterioides*
ANNONACEAE



79 *Unonopsis* sp. 1
ANNONACEAE




80 *Unonopsis* sp. 1
ANNONACEAE



81 *Unonopsis* sp. 1
ANNONACEAE



82 *Xylopia crinita*
ANNONACEAE



83 *Xylopia crinita*
ANNONACEAE



84 *Xylopia crinita*
ANNONACEAE



85 *Xylopia excellens*
ANNONACEAE



86 *Xylopia excellens*
ANNONACEAE



87 *Xylopia excellens*
ANNONACEAE



88 *Xylopia excellens*
ANNONACEAE



89 *Xylopia excellens*
ANNONACEAE



90 *Xylopia multiflora*
ANNONACEAE

Diversidad florística del río Lagartococha, Reserva de Producción Faunística Cuyabeno, Amazonia ecuatoriana			
Floristic diversity of the Lagartococha River basin, Cuyabeno Wildlife Reserve, Ecuadorian Amazon			
Nicolas Carvajal ¹  , Thomas L.P. Couvreur ^{1,2}  , Kevin S. Burgess ^{3,4}  , Edison Rea ^{1,5}  , Andrea Fernández ¹  , Renata Barrera ¹  , Francisco Tobar ^{6,7}  , Alix Loziquez ^{1,2}  , Alvaro J. Pérez ¹ 			
1 Herbario QCA, Escuela de Ciencias Biológicas, Pontificia Universidad Católica del Ecuador, Quito, Ecuador, 2 DIADE, Univ Montpellier, CIRAD, IRD, Montpellier, France. 3 Department of Biomedical Sciences, Mercer University School of Medicine, 1633 1st Avenue, Columbus, Georgia 31901, USA. 4 Department of Biology, Columbus State University, Columbus, GA 31907, USA. 5 Department of Biology, University of Kentucky, Lexington, Kentucky 40506, USA. 6 Área de Investigación y Monitoreo de Avifauna, Aves y Conservación-BirdLife en Ecuador, Quito, Ecuador. 7 Herbario Nacional del Ecuador, Instituto Nacional de Biodiversidad, Pasaje Rumipamba 341 y Av. de los Shyris, 170135, Quito, Pichincha, Ecuador			
Email: ajperezc@puce.edu.ec	Bosques Latitud Cero 15(2), 63-105. 2025	https://doi.org/10.54753/blc.v15i2.2424	



91 *Xylopia multiflora*
ANNONACEAE



92 *Xylopia multiflora*
ANNONACEAE



93 *Xylopia nitida*
ANNONACEAE



94 *Xylopia nitida*
ANNONACEAE



95 *Xylopia nitida*
ANNONACEAE



96 *Xylopia parviflora*
ANNONACEAE



97 *Xylopia parviflora*
ANNONACEAE



98 *Xylopia parviflora*
ANNONACEAE



99 *Lacmellea* cf. *floribunda*
APOCYNACEAE



100 *Lacmellea* cf. *floribunda*
APOCYNACEAE



101 *Lacmellea* cf. *floribunda*
APOCYNACEAE



102 *Ilex inundata*
AQUIFOLIACEAE



103 *Ilex inundata*
AQUIFOLIACEAE



104 *Anthurium* sp. 1
ARACEAE



105 *Anthurium* sp. 1
ARACEAE




106 *Montrichardia linifera*
ARACEAE




107 *Montrichardia linifera*
ARACEAE



108 *Philodendron* aff. *coriaceum*
ARACEAE



109 *Philodendron* aff. *coriaceum*
ARACEAE



110 *Philodendron* aff. *coriaceum*
ARACEAE



111 *Philodendron* aff. *coriaceum*
ARACEAE



112 *Philodendron* sp. 1
ARACEAE



113 *Philodendron* sp. 1
ARACEAE



114 *Pistia striatiotes*
ARACEAE



115 *Pistia striatiotes*
ARACEAE



116 *Stenospermation amomifolium*
ARACEAE



117 *Stenospermation amomifolium*
ARACEAE




118 *Stenospermation amomifolium*
ARACEAE



119 *Astrocaryum jauari*
ARECACEAE



120 *Astrocaryum murumuru*
ARECACEAE



Diversidad florística del río Lagartococha, Reserva de Producción Faunística Cuyabeno, Amazonia ecuatoriana			
Floristic diversity of the Lagartococha River basin, Cuyabeno Wildlife Reserve, Ecuadorian Amazon			
Nicolas Carvajal ¹ , Thomas L.P. Couvreur ^{1,2} , Kevin S. Burgess ^{3,4} , Edison Rea ^{1,5} , Andrea Fernández ¹ , Renata Barrera ¹ , Francisco Tobar ^{6,7} , Alix Lozinguez ^{1,2} , Alvaro J. Pérez ¹			
1 Herbario QCA, Escuela de Ciencias Biológicas, Pontificia Universidad Católica del Ecuador, Quito, Ecuador, 2 DIADE, Univ Montpellier, CIRAD, IRD, Montpellier, France. 3 Department of Biomedical Sciences, Mercer University School of Medicine, 1633 1st Avenue, Columbus, Georgia 31901, USA. 4 Department of Biology, Columbus State University, Columbus, GA 31907, USA. 5 Department of Biology, University of Kentucky, Lexington, Kentucky 40506, USA. 6 Área de Investigación y Monitoreo de Avifauna, Aves y Conservación-BirdLife en Ecuador, Quito, Ecuador. 7 Herbario Nacional del Ecuador, Instituto Nacional de Biodiversidad, Pasaje Rumipamba 341 y Av. de los Shyris, 170135, Quito, Pichincha, Ecuador			
Email: ajperezcz@puce.edu.ec		Bosques Latitud Cero 15(2), 63-105. 2025	https://doi.org/10.54753/blc.v15i2.2424



136 *Geonoma stricta*
ARECACEAE



137 *Geonoma stricta*
ARECACEAE



138 *Hyospathe elegans*
ARECACEAE



139 *Hyospathe elegans*
ARECACEAE



140 *Asplenium stuebelianum*
ASPLENIACEAE



141 *Asplenium stuebelianum*
ASPLENIACEAE



142 *Eclipta prostrata*
ASTERACEAE



143 *Eclipta prostrata*
ASTERACEAE



144 *Eclipta prostrata*
ASTERACEAE



145 *Arrabidaea* sp. 1
BIGNONIACEAE



146 *Arrabidaea* sp. 1
BIGNONIACEAE



147 *Arrabidaea* sp. 1
BIGNONIACEAE



148 *Tanaecium jaroba*
BIGNONIACEAE




149 *Tanaecium jaroba*
BIGNONIACEAE



150 *Tanaecium jaroba*
BIGNONIACEAE

Diversidad florística del río Lagartococha, Reserva de Producción Faunística Cuyabeno, Amazonia ecuatoriana			
Floristic diversity of the Lagartococha River basin, Cuyabeno Wildlife Reserve, Ecuadorian Amazon			
Nicolas Carvajal ¹ , Thomas L.P. Couvreur ^{1,2} , Kevin S. Burgess ^{3,4} , Edison Rea ^{1,5} , Andrea Fernández ¹ , Renata Barrera ¹ , Francisco Tobar ^{6,7} , Alix Loziquez ^{1,2} , Alvaro J. Pérez ¹			
1 Herbario QCA, Escuela de Ciencias Biológicas, Pontificia Universidad Católica del Ecuador, Quito, Ecuador, 2 DIADE, Univ Montpellier, CIRAD, IRD, Montpellier, France. 3 Department of Biomedical Sciences, Mercer University School of Medicine, 1633 1st Avenue, Columbus, Georgia 31901, USA. 4 Department of Biology, Columbus State University, Columbus, GA 31907, USA. 5 Department of Biology, University of Kentucky, Lexington, Kentucky 40506, USA. 6 Área de Investigación y Monitoreo de Avifauna, Aves y Conservación-BirdLife en Ecuador, Quito, Ecuador. 7 Herbario Nacional del Ecuador, Instituto Nacional de Biodiversidad, Pasaje Rumipamba 341 y Av. de los Shyris, 170135, Quito, Pichincha, Ecuador			
Email: ajperezc@puce.edu.ec		Bosques Latitud Cero 15(2), 63-105. 2025	https://doi.org/10.54753/blc.v15i2.2424

				
151 <i>Tanaecium jaroba</i> BIGNONIACEAE	152 <i>Cochlospermum orinocense</i> BIXACEAE	153 <i>Cochlospermum orinocense</i> BIXACEAE	154 <i>Cochlospermum orinocense</i> BIXACEAE	155 <i>Cochlospermum orinocense</i> BIXACEAE
				
156 <i>Neoregelia stolonifera</i> BROMELIACEAE	157 <i>Tillandsia adpressiflora</i> BROMELIACEAE	158 sp. 1 BROMELIACEAE	159 sp. 1 BROMELIACEAE	160 sp. 1 BROMELIACEAE
				
161 <i>Protium unifoliolatum</i> BURSERACEAE	162 <i>Protium unifoliolatum</i> BURSERACEAE	163 <i>Protium unifoliolatum</i> BURSERACEAE	164 <i>Epiphyllum phyllanthus</i> CACTACEAE	165 <i>Epiphyllum phyllanthus</i> CACTACEAE

Diversidad florística del río Lagartococha, Reserva de Producción Faunística Cuyabeno, Amazonia ecuatoriana			
Floristic diversity of the Lagartococha River basin, Cuyabeno Wildlife Reserve, Ecuadorian Amazon			
Nicolas Carvajal ¹ , Thomas L.P. Couvreur ^{1,2} , Kevin S. Burgess ^{3,4} , Edison Rea ^{1,5} , Andrea Fernández ¹ , Renata Barrera ¹ , Francisco Tobar ^{6,7} , Alix Lozinguez ^{1,2} , Alvaro J. Pérez ¹			
1 Herbario QCA, Escuela de Ciencias Biológicas, Pontificia Universidad Católica del Ecuador, Quito, Ecuador, 2 DIADE, Univ Montpellier, CIRAD, IRD, Montpellier, France. 3 Department of Biomedical Sciences, Mercer University School of Medicine, 1633 1st Avenue, Columbus, Georgia 31901, USA. 4 Department of Biology, Columbus State University, Columbus, GA 31907, USA. 5 Department of Biology, University of Kentucky, Lexington, Kentucky 40506, USA. 6 Área de Investigación y Monitoreo de Avifauna, Aves y Conservación-BirdLife en Ecuador, Quito, Ecuador. 7 Herbario Nacional del Ecuador, Instituto Nacional de Biodiversidad, Pasaje Rumipamba 341 y Av. de los Shyris, 170135, Quito, Pichincha, Ecuador			
Email: ajperezc@puce.edu.ec	Bosques Latitud Cero 15(2), 63-105. 2025	https://doi.org/10.54753/blc.v15i2.2424	



166 *Pseudorhipsalis amazonica*
CACTACEAE



167 *Pseudorhipsalis amazonica*
CACTACEAE



168 *Rhipsalis baccifera*
CACTACEAE



169 *Rhipsalis baccifera*
CACTACEAE



170 *Marila laxiflora*
CALOPHYLLACEAE



171 *Marila laxiflora*
CALOPHYLLACEAE



172 *Marila laxiflora*
CALOPHYLLACEAE



173 *Caryocar glabrum*
CARYOCARACEAE



174 *Caryocar glabrum*
CARYOCARACEAE



175 *Couepia chrysocalyx*
CHRYSOBALANACEAE



176 *Couepia chrysocalyx*
CHRYSOBALANACEAE



177 *Couepia chrysocalyx*
CHRYSOBALANACEAE



178 *Couepia ulei*
CHRYSOBALANACEAE



179 *Couepia ulei*
CHRYSOBALANACEAE



180 *Couepia ulei*
CHRYSOBALANACEAE

Diversidad florística del río Lagartococha, Reserva de Producción Faunística Cuyabeno, Amazonia ecuatoriana			
Floristic diversity of the Lagartococha River basin, Cuyabeno Wildlife Reserve, Ecuadorian Amazon			
Nicolas Carvajal ¹  , Thomas L.P. Couvreur ^{1,2}  , Kevin S. Burgess ^{3,4}  , Edison Rea ^{1,5}  , Andrea Fernández ¹  , Renata Barrera ¹  , Francisco Tobar ^{6,7}  , Alix Lozinguez ^{1,2}  , Alvaro J. Pérez ¹ 			
1 Herbario QCA, Escuela de Ciencias Biológicas, Pontificia Universidad Católica del Ecuador, Quito, Ecuador, 2 DIADE, Univ Montpellier, CIRAD, IRD, Montpellier, France. 3 Department of Biomedical Sciences, Mercer University School of Medicine, 1633 1st Avenue, Columbus, Georgia 31901, USA. 4 Department of Biology, Columbus State University, Columbus, GA 31907, USA. 5 Department of Biology, University of Kentucky, Lexington, Kentucky 40506, USA. 6 Área de Investigación y Monitoreo de Avifauna, Aves y Conservación-BirdLife en Ecuador, Quito, Ecuador. 7 Herbario Nacional del Ecuador, Instituto Nacional de Biodiversidad, Pasaje Rumipamba 341 y Av. de los Shyris, 170135, Quito, Pichincha, Ecuador			
Email: ajperezc@puce.edu.ec		Bosques Latitud Cero 15(2), 63-105. 2025	https://doi.org/10.54753/blc.v15i2.2424

				
181 <i>Couepia ulei</i> CHRYSOBALANACEAE	182 <i>Hirtella elongata</i> CHRYSOBALANACEAE	183 <i>Hirtella elongata</i> CHRYSOBALANACEAE	184 <i>Hirtella elongata</i> CHRYSOBALANACEAE	185 <i>Hirtella elongata</i> CHRYSOBALANACEAE
				
186 <i>Parinari</i> sp. 1 CHRYSOBALANACEAE	187 <i>Parinari</i> sp. 1 CHRYSOBALANACEAE	188 <i>Clusia</i> sp. 1 CLUSIACEAE	189 <i>Clusia</i> sp. 1 CLUSIACEAE	190 <i>Clusia</i> sp. 2 CLUSIACEAE
				
191 <i>Clusia</i> sp. 2 CLUSIACEAE	192 <i>Clusia</i> sp. 2 CLUSIACEAE	193 <i>Tovomita</i> sp. 1 CLUSIACEAE	194 <i>Tovomita</i> sp. 1 CLUSIACEAE	195 <i>Combretum laxum</i> COMBRETACEAE

Diversidad florística del río Lagartococha, Reserva de Producción Faunística Cuyabeno, Amazonia ecuatoriana		
Floristic diversity of the Lagartococha River basin, Cuyabeno Wildlife Reserve, Ecuadorian Amazon		
Nicolas Carvajal ¹ , Thomas L.P. Couvreur ^{1,2} , Kevin S. Burgess ^{3,4} , Edison Rea ^{1,5} , Andrea Fernández ¹ , Renata Barrera ¹ , Francisco Tobar ^{6,7} , Alix Lozinguez ^{1,2} , Alvaro J. Pérez ¹		
1 Herbario QCA, Escuela de Ciencias Biológicas, Pontificia Universidad Católica del Ecuador, Quito, Ecuador, 2 DIADE, Univ Montpellier, CIRAD, IRD, Montpellier, France. 3 Department of Biomedical Sciences, Mercer University School of Medicine, 1633 1st Avenue, Columbus, Georgia 31901, USA. 4 Department of Biology, Columbus State University, Columbus, GA 31907, USA. 5 Department of Biology, University of Kentucky, Lexington, Kentucky 40506, USA. 6 Área de Investigación y Monitoreo de Avifauna, Aves y Conservación-BirdLife en Ecuador, Quito, Ecuador. 7 Herbario Nacional del Ecuador, Instituto Nacional de Biodiversidad, Pasaje Rumipamba 341 y Av. de los Shyris, 170135, Quito, Pichincha, Ecuador		
Email: ajperezc@puce.edu.ec	Bosques Latitud Cero 15(2), 63-105. 2025	https://doi.org/10.54753/blc.v15i2.2424



196 *Combretum laxum*
COMBRETACEAE



197 *Combretum llewlynii*
COMBRETACEAE



198 *Combretum llewlynii*
COMBRETACEAE



199 *Combretum llewlynii*
COMBRETACEAE



200 *Aniseia martinicensis*
CONVOLVULACEAE



201 *Aniseia martinicensis*
CONVOLVULACEAE



202 *Aniseia martinicensis*
CONVOLVULACEAE



203 *Dicranostyles ampla*
CONVOLVULACEAE



204 *Dicranostyles ampla*
CONVOLVULACEAE



205 *Dicranostyles* sp. 1
CONVOLVULACEAE



206 *Dicranostyles* sp. 1
CONVOLVULACEAE



207 *Dicranostyles* sp. 1
CONVOLVULACEAE



208 *Tapura amazonica*
DICHAPETALACEAE



209 *Tapura amazonica*
DICHAPETALACEAE



210 *Tapura guianensis*
DICHAPETALACEAE

Diversidad florística del río Lagartococha, Reserva de Producción Faunística Cuyabeno, Amazonia ecuatoriana		
Floristic diversity of the Lagartococha River basin, Cuyabeno Wildlife Reserve, Ecuadorian Amazon		
Nicolas Carvajal ¹  , Thomas L.P. Couvreur ^{1,2}  , Kevin S. Burgess ^{3,4}  , Edison Rea ^{1,5}  , Andrea Fernández ¹  , Renata Barrera ¹  , Francisco Tobar ^{6,7}  , Alix Lozinguez ^{1,2}  , Alvaro J. Pérez ¹ 		
1 Herbario QCA, Escuela de Ciencias Biológicas, Pontificia Universidad Católica del Ecuador, Quito, Ecuador, 2 DIADE, Univ Montpellier, CIRAD, IRD, Montpellier, France. 3 Department of Biomedical Sciences, Mercer University School of Medicine, 1633 1st Avenue, Columbus, Georgia 31901, USA. 4 Department of Biology, Columbus State University, Columbus, GA 31907, USA. 5 Department of Biology, University of Kentucky, Lexington, Kentucky 40506, USA. 6 Area de Investigación y Monitoreo de Avifauna, Aves y Conservación-BirdLife en Ecuador, Quito, Ecuador. 7 Herbario Nacional del Ecuador, Instituto Nacional de Biodiversidad, Pasaje Rumipamba 341 y Av. de los Shyris, 170135, Quito, Pichincha, Ecuador		
Email: ajperezc@puce.edu.ec	Bosques Latitud Cero 15(2), 63-105. 2025	https://doi.org/10.54753/blc.v15i2.2424





211 *Tapura guianensis*
DICHAPETALACEAE



212 *Tapura guianensis*
DICHAPETALACEAE



213 *Davilla* cf. *rugosa*
DILLENIACEAE



214 *Davilla* cf. *rugosa*
DILLENIACEAE



215 *Elaphoglossum* sp. 1
DRYOPTERIDACEAE



216 *Elaphoglossum* sp. 1
DRYOPTERIDACEAE



217 *Elaphoglossum* sp. 1
DRYOPTERIDACEAE



218 *Diospyros artanthifolia*
EBENACEAE



219 *Diospyros artanthifolia*
EBENACEAE



220 *Erythroxylum macrophyllum* var. *ecuadorensis*
ERYTHROXYLACEAE



221 *Erythroxylum macrophyllum* var. *ecuadorensis*
ERYTHROXYLACEAE



222 *Erythroxylum macrophyllum* var. *ecuadorensis*
ERYTHROXYLACEAE




223 *Mabea nitida* var. *albiflora*
EUPHORBIACEAE



224 *Mabea nitida* var. *albiflora*
EUPHORBIACEAE



225 *Mabea nitida* var. *albiflora*
EUPHORBIACEAE



Diversidad florística del río Lagartococha, Reserva de Producción Faunística Cuyabeno, Amazonia ecuatoriana Floristic diversity of the Lagartococha River basin, Cuyabeno Wildlife Reserve, Ecuadorian Amazon			
Nicolas Carvajal ¹  , Thomas L.P. Couvreur ^{1,2}  , Kevin S. Burgess ^{3,4}  , Edison Rea ^{1,5}  , Andrea Fernández ¹  , Renata Barrera ¹  , Francisco Tobar ^{6,7}  , Alix Loziquez ^{1,2}  , Alvaro J. Pérez ¹ 			
1 Herbario QCA, Escuela de Ciencias Biológicas, Pontificia Universidad Católica del Ecuador, Quito, Ecuador, 2 DIADE, Univ Montpellier, CIRAD, IRD, Montpellier, France. 3 Department of Biomedical Sciences, Mercer University School of Medicine, 1633 1st Avenue, Columbus, Georgia 31901, USA. 4 Department of Biology, Columbus State University, Columbus, GA 31907, USA. 5 Department of Biology, University of Kentucky, Lexington, Kentucky 40506, USA. 6 Área de Investigación y Monitoreo de Avifauna, Aves y Conservación-BirdLife en Ecuador, Quito, Ecuador. 7 Herbario Nacional del Ecuador, Instituto Nacional de Biodiversidad, Pasaje Rumipamba 341 y Av. de los Shyris, 170135, Quito, Pichincha, Ecuador			
Email: ajperezc@puce.edu.ec	Bosques Latitud Cero 15(2), 63-105. 2025	https://doi.org/10.54753/blc.v15i2.2424	

				
241 <i>Inga cordatoalata</i> FABACEAE	242 <i>Inga leiocalycina</i> FABACEAE	243 <i>Inga leiocalycina</i> FABACEAE	244 <i>Inga leiocalycina</i> FABACEAE	245 <i>Inga velutina</i> FABACEAE
				
246 <i>Inga velutina</i> FABACEAE	247 <i>Macrolobium acaciifolium</i> FABACEAE	248 <i>Macrolobium acaciifolium</i> FABACEAE	249 <i>Macrolobium multijugum</i> FABACEAE	250 <i>Macrolobium multijugum</i> FABACEAE
				
251 <i>Macrolobium multijugum</i> FABACEAE	252 <i>Swartzia klugii</i> FABACEAE	253 <i>Swartzia klugii</i> FABACEAE	254 sp. 1 FABACEAE	255 sp. 1 FABACEAE

Diversidad florística del río Lagartococha, Reserva de Producción Faunística Cuyabeno, Amazonia ecuatoriana			
Floristic diversity of the Lagartococha River basin, Cuyabeno Wildlife Reserve, Ecuadorian Amazon			
Nicolas Carvajal ¹ , Thomas L.P. Couvreur ^{1,2} , Kevin S. Burgess ^{3,4} , Edison Rea ^{1,5} , Andrea Fernández ¹ , Renata Barrera ¹ , Francisco Tobar ^{6,7} , Alix Lozinguez ^{1,2} , Alvaro J. Pérez ¹			
1 Herbario QCA, Escuela de Ciencias Biológicas, Pontificia Universidad Católica del Ecuador, Quito, Ecuador, 2 DIADE, Univ Montpellier, CIRAD, IRD, Montpellier, France. 3 Department of Biomedical Sciences, Mercer University School of Medicine, 1633 1st Avenue, Columbus, Georgia 31901, USA. 4 Department of Biology, Columbus State University, Columbus, GA 31907, USA. 5 Department of Biology, University of Kentucky, Lexington, Kentucky 40506, USA. 6 Área de Investigación y Monitoreo de Avifauna, Aves y Conservación-BirdLife en Ecuador, Quito, Ecuador. 7 Herbario Nacional del Ecuador, Instituto Nacional de Biodiversidad, Pasaje Rumipamba 341 y Av. de los Shyris, 170135, Quito, Pichincha, Ecuador			
Email: ajperezc@puce.edu.ec	Bosques Latitud Cero 15(2), 63-105. 2025	https://doi.org/10.54753/blc.v15i2.2424	



256 sp. 1
FABACEAE



257 Potalia amara
GENTIANACEAE



258 Potalia amara
GENTIANACEAE



259 Drymonia coccinea
GESNERIACEAE



260 Drymonia coccinea
GESNERIACEAE



261 Drymonia coccinea
GESNERIACEAE



262 Drymonia macrophylla
GESNERIACEAE



263 Drymonia macrophylla
GESNERIACEAE



264 Gnetum leyboldii
GNETACEAE



265 Gnetum leyboldii
GNETACEAE



266 Gnetum leyboldii
GNETACEAE



267 Hippocratea volubilis
HIPPOCRATEACEAE



268 Hippocratea volubilis
HIPPOCRATEACEAE



269 Hippocratea volubilis
HIPPOCRATEACEAE



270 Vantanea sp. 1
HUMIRIACEAE

Diversidad florística del río Lagartococha, Reserva de Producción Faunística Cuyabeno, Amazonia ecuatoriana		
Floristic diversity of the Lagartococha River basin, Cuyabeno Wildlife Reserve, Ecuadorian Amazon		
Nicolas Carvajal ¹  , Thomas L.P. Couvreur ^{1,2}  , Kevin S. Burgess ^{3,4}  , Edison Rea ^{1,5}  , Andrea Fernández ¹  , Renata Barrera ¹  , Francisco Tobar ^{6,7}  , Alix Loziquez ^{1,2}  , Alvaro J. Pérez ¹ 		
1 Herbario QCA, Escuela de Ciencias Biológicas, Pontificia Universidad Católica del Ecuador, Quito, Ecuador, 2 DIADE, Univ Montpellier, CIRAD, IRD, Montpellier, France. 3 Department of Biomedical Sciences, Mercer University School of Medicine, 1633 1st Avenue, Columbus, Georgia 31901, USA. 4 Department of Biology, Columbus State University, Columbus, GA 31907, USA. 5 Department of Biology, University of Kentucky, Lexington, Kentucky 40506, USA. 6 Area de Investigación y Monitoreo de Avifauna, Aves y Conservación-BirdLife en Ecuador, Quito, Ecuador. 7 Herbario Nacional del Ecuador, Instituto Nacional de Biodiversidad, Pasaje Rumipamba 341 y Av. de los Shyris, 170135, Quito, Pichincha, Ecuador		
Email: ajperezc@puce.edu.ec	Bosques Latitud Cero 15(2), 63-105. 2025	https://doi.org/10.54753/blc.v15i2.2424






271 *Vantanea* sp. 1
HUMIRIACEAE



272 *Vantanea* sp. 1
HUMIRIACEAE



273 *Trichomanes tanaicum*
HYMENOPHYLLACEAE



274 *Trichomanes tanaicum*
HYMENOPHYLLACEAE



275 *Endlicheria pyriformis*
LAURACEAE



276 *Endlicheria pyriformis*
LAURACEAE



277 *Endlicheria pyriformis*
LAURACEAE



278 *Endlicheria* sp. 1
LAURACEAE



279 *Endlicheria* sp. 1
LAURACEAE



280 *Endlicheria* sp. 1
LAURACEAE



281 *Endlicheria* sp. 1
LAURACEAE



282 *Endlicheria* sp. 1
LAURACEAE



283 *Endlicheria* sp. 1
LAURACEAE



284 *Endlicheria* sp. 1
LAURACEAE



285 *Nectandra* cf. *oppositifolia*
LAURACEAE



286 *Nectandra* cf. *oppositifolia*
LAURACEAE



287 *Nectandra* cf. *oppositifolia*
LAURACEAE



288 *Ocotea* cf. *cernua*
LAURACEAE



289 *Ocotea* cf. *cernua*
LAURACEAE



290 *Ocotea* cf. *cernua*
LAURACEAE



291 *Ocotea* sp. 1
LAURACEAE



292 *Ocotea* sp. 1
LAURACEAE



293 *Ocotea* sp. 1
LAURACEAE



294 *Pleurothyrium* sp. 1
LAURACEAE



295 *Pleurothyrium* sp. 1
LAURACEAE



296 *Eschweilera* *parvifolia*
LECYTHIDACEAE




297 *Eschweilera* *parvifolia*
LECYTHIDACEAE



298 *Eschweilera* *parvifolia*
LECYTHIDACEAE



299 *Utricularia* *foliosa*
LENTIBULARIACEAE



300 *Utricularia* *foliosa*
LENTIBULARIACEAE

				
301	302	303	304	305
<i>Utricularia inflata</i> var. <i>minor</i>	<i>Utricularia inflata</i> var. <i>minor</i>	<i>Utricularia inflata</i> var. <i>minor</i>	<i>Utricularia inflata</i> var. <i>minor</i>	<i>Phlegmariurus</i> <i>linifolius</i> var. <i>jenmanii</i>
LENTIBULARIACEAE	LENTIBULARIACEAE	LENTIBULARIACEAE	LENTIBULARIACEAE	LYCOPODIACEAE
				
306	307	308	309	310
<i>Phlegmariurus</i> <i>linifolius</i> var. <i>jenmanii</i>	<i>Heteropterys</i> <i>orinocensis</i>	<i>Heteropterys</i> <i>orinocensis</i>	<i>Heteropterys</i> <i>orinocensis</i>	<i>Hibiscus sororius</i>
LYCOPODIACEAE	MALPIGHIACEAE	MALPIGHIACEAE	MALPIGHIACEAE	MALVACEAE
				
311	312	313	314	315
<i>Hibiscus sororius</i>	<i>Hibiscus sororius</i>	<i>Matisia bracteolosa</i>	<i>Matisia bracteolosa</i>	<i>Matisia bracteolosa</i>
MALVACEAE	MALVACEAE	MALVACEAE	MALVACEAE	MALVACEAE

Diversidad florística del río Lagartococha, Reserva de Producción Faunística Cuyabeno, Amazonia ecuatoriana			
Floristic diversity of the Lagartococha River basin, Cuyabeno Wildlife Reserve, Ecuadorian Amazon			
Nicolas Carvajal ¹ , Thomas L.P. Couvreur ^{1,2} , Kevin S. Burgess ^{3,4} , Edison Rea ^{1,5} , Andrea Fernández ¹ , Renata Barrera ¹ , Francisco Tobar ^{6,7} , Alix Lozinguez ^{1,2} , Alvaro J. Pérez ¹			
1 Herbario QCA, Escuela de Ciencias Biológicas, Pontificia Universidad Católica del Ecuador, Quito, Ecuador, 2 DIADE, Univ Montpellier, CIRAD, IRD, Montpellier, France. 3 Department of Biomedical Sciences, Mercer University School of Medicine, 1633 1st Avenue, Columbus, Georgia 31901, USA. 4 Department of Biology, Columbus State University, Columbus, GA 31907, USA. 5 Department of Biology, University of Kentucky, Lexington, Kentucky 40506, USA. 6 Área de Investigación y Monitoreo de Avifauna, Aves y Conservación-BirdLife en Ecuador, Quito, Ecuador. 7 Herbario Nacional del Ecuador, Instituto Nacional de Biodiversidad, Pasaje Rumipamba 341 y Av. de los Shyris, 170135, Quito, Pichincha, Ecuador			
Email: ajperezc@puce.edu.ec	Bosques Latitud Cero 15(2), 63-105. 2025	https://doi.org/10.54753/blc.v15i2.2424	



316 *Matisia bracteolosa*
MALVACEAE



317 *Henriettea* sp. 1
MELASTOMATACEAE



318 *Henriettea* sp. 1
MELASTOMATACEAE



319 *Henriettea* sp. 1
MELASTOMATACEAE



320 *Miconia stenoptera*
MELASTOMATACEAE



321 *Miconia stenoptera*
MELASTOMATACEAE



322 *Miconia stenoptera*
MELASTOMATACEAE



323 *Miconia stenoptera*
MELASTOMATACEAE



324 *Miconia* sp. 1
MELASTOMATACEAE



325 *Miconia* sp. 1
MELASTOMATACEAE



326 *Miconia* sp. 1
MELASTOMATACEAE



327 *Guarea* cf. *grandifolia*
MELIACEAE



328 *Guarea* cf. *grandifolia*
MELIACEAE



329 *Trichilia pachypoda*
MELIACEAE



330 *Trichilia pachypoda*
MELIACEAE

Diversidad florística del río Lagartococha, Reserva de Producción Faunística Cuyabeno, Amazonia ecuatoriana Floristic diversity of the Lagartococha River basin, Cuyabeno Wildlife Reserve, Ecuadorian Amazon			
Nicolas Carvajal ¹ , Thomas L.P. Couvreur ^{1,2} , Kevin S. Burgess ^{3,4} , Edison Rea ^{1,5} , Andrea Fernández ¹ , Renata Barrera ¹ , Francisco Tobar ^{6,7} , Alix Loziquez ^{1,2} , Álvaro J. Pérez ¹			
1 Herbario QCA, Escuela de Ciencias Biológicas, Pontificia Universidad Católica del Ecuador, Quito, Ecuador, 2 DIADE, Univ Montpellier, CIRAD, IRD, Montpellier, France. 3 Department of Biomedical Sciences, Mercer University School of Medicine, 1633 1st Avenue, Columbus, Georgia 31901, USA. 4 Department of Biology, Columbus State University, Columbus, GA 31907, USA. 5 Department of Biology, University of Kentucky, Lexington, Kentucky 40506, USA. 6 Área de Investigación y Monitoreo de Avifauna, Aves y Conservación-BirdLife en Ecuador, Quito, Ecuador. 7 Herbario Nacional del Ecuador, Instituto Nacional de Biodiversidad, Pasaje Rumipamba 341 y Av. de los Shyris, 170135, Quito, Pichincha, Ecuador			
Email: ajperezc@puce.edu.ec		Bosques Latitud Cero 15(2), 63-105. 2025	https://doi.org/10.54753/blc.v15i2.2424



331 *Trichilia pachypoda*
MELIACEAE



332 *Abuta grandifolia*
MENISPERMACEAE



333 *Abuta grandifolia*
MENISPERMACEAE



334 *Ficus americana*
subsp. *guianensis*
MORACEAE



335 *Ficus americana*
subsp. *guianensis*
MORACEAE



336 *Ficus* sp. 1
MORACEAE



337 *Ficus* sp. 1
MORACEAE



338 *Ficus* sp. 1
MORACEAE



339 *Helicostylis tomentosa*
MORACEAE



340 *Helicostylis tomentosa*
MORACEAE



341 *Iryanthera* cf.
hostmannii
MYRISTICACEAE



342 *Iryanthera* cf.
hostmannii
MYRISTICACEAE



343 *Iryanthera juruensis*
MYRISTICACEAE



344 *Iryanthera juruensis*
MYRISTICACEAE



345 *Virola calophylla*
MYRISTICACEAE

Diversidad florística del río Lagartococha, Reserva de Producción Faunística Cuyabeno, Amazonia ecuatoriana			
Floristic diversity of the Lagartococha River basin, Cuyabeno Wildlife Reserve, Ecuadorian Amazon			
Nicolas Carvajal ¹ , Thomas L.P. Couvreur ^{1,2} , Kevin S. Burgess ^{3,4} , Edison Rea ^{1,5} , Andrea Fernández ¹ , Renata Barrera ¹ , Francisco Tobar ^{6,7} , Alix Loziquez ^{1,2} , Alvaro J. Pérez ¹			
1 Herbario QCA, Escuela de Ciencias Biológicas, Pontificia Universidad Católica del Ecuador, Quito, Ecuador, 2 DIADE, Univ Montpellier, CIRAD, IRD, Montpellier, France. 3 Department of Biomedical Sciences, Mercer University School of Medicine, 1633 1st Avenue, Columbus, Georgia 31901, USA. 4 Department of Biology, Columbus State University, Columbus, GA 31907, USA. 5 Department of Biology, University of Kentucky, Lexington, Kentucky 40506, USA. 6 Área de Investigación y Monitoreo de Avifauna, Aves y Conservación-BirdLife en Ecuador, Quito, Ecuador. 7 Herbario Nacional del Ecuador, Instituto Nacional de Biodiversidad, Pasaje Rumipamba 341 y Av. de los Shyris, 170135, Quito, Pichincha, Ecuador			
Email: ajperezc@puce.edu.ec	Bosques Latitud Cero 15(2), 63-105. 2025	https://doi.org/10.54753/blc.v15i2.2424	



346 *Virola calophylla*
MYRISTICACEAE



347 *Virola rufula*
MYRISTICACEAE



348 *Virola rufula*
MYRISTICACEAE



349 *Virola rufula*
MYRISTICACEAE



350 *Virola rufula*
MYRISTICACEAE



351 *Virola cf. surinamensis*
MYRISTICACEAE



352 *Virola cf. surinamensis*
MYRISTICACEAE



353 *Virola cf. surinamensis*
MYRISTICACEAE



354 *Eugenia cf. florida*
MYRTACEAE



355 *Eugenia cf. florida*
MYRTACEAE



356 *Eugenia cf. florida*
MYRTACEAE



357 *Eugenia cf. florida*
MYRTACEAE




358 *Eugenia cf. florida*
MYRTACEAE



359 *Myrcia splendens*
MYRTACEAE



360 *Myrcia splendens*
MYRTACEAE



Diversidad florística del río Lagartococha, Reserva de Producción Faunística Cuyabeno, Amazonia ecuatoriana			
Floristic diversity of the Lagartococha River basin, Cuyabeno Wildlife Reserve, Ecuadorian Amazon			
Nicolas Carvajal ¹ , Thomas L.P. Couvreur ^{1,2} , Kevin S. Burgess ^{3,4} , Edison Rea ^{1,5} , Andrea Fernández ¹ , Renata Barrera ¹ , Francisco Tobar ^{6,7} , Alix Lozinguez ^{1,2} , Alvaro J. Pérez ¹			
1 Herbario QCA, Escuela de Ciencias Biológicas, Pontificia Universidad Católica del Ecuador, Quito, Ecuador, 2 DIADE, Univ Montpellier, CIRAD, IRD, Montpellier, France. 3 Department of Biomedical Sciences, Mercer University School of Medicine, 1633 1st Avenue, Columbus, Georgia 31901, USA. 4 Department of Biology, Columbus State University, Columbus, GA 31907, USA. 5 Department of Biology, University of Kentucky, Lexington, Kentucky 40506, USA. 6 Área de Investigación y Monitoreo de Avifauna, Aves y Conservación-BirdLife en Ecuador, Quito, Ecuador. 7 Herbario Nacional del Ecuador, Instituto Nacional de Biodiversidad, Pasaje Rumipamba 341 y Av. de los Shyris, 170135, Quito, Pichincha, Ecuador			
Email: ajperezc@puce.edu.ec		Bosques Latitud Cero 15(2), 63-105. 2025	https://doi.org/10.54753/blc.v15i2.2424



376 *Ludwigia torulosa*
ONAGRACEAE



377 *Ludwigia torulosa*
ONAGRACEAE



378 *Ludwigia torulosa*
ONAGRACEAE



379 *Cattleya violacea*
ORCHIDACEAE



380 *Cattleya violacea*
ORCHIDACEAE




381 *Epidendrum* aff.
calanthum
ORCHIDACEAE



382 *Epidendrum* aff.
calanthum
ORCHIDACEAE



383 *Epidendrum* aff.
longicolle
ORCHIDACEAE



384 *Epidendrum* aff.
longicolle
ORCHIDACEAE



385 *Epidendrum*
nocturnum
ORCHIDACEAE



386 *Epidendrum*
nocturnum
ORCHIDACEAE



387 *Eriopsis sceptrum*
ORCHIDACEAE



388 *Eriopsis sceptrum*
ORCHIDACEAE



389 *Maxillaria*
violaceopunctata
ORCHIDACEAE



390 *Maxillaria*
violaceopunctata
ORCHIDACEAE



391 *Pleurothallis determinii*
ORCHIDACEAE



392 *Polystachya* sp. 1
ORCHIDACEAE



393 *Polystachya* sp. 1
ORCHIDACEAE



394 *Trichosalpinx orbicularis*
ORCHIDACEAE



395 *Trichosalpinx orbicularis*
ORCHIDACEAE



396 *Vanilla trigonocarpa*
ORCHIDACEAE



397 *Vanilla trigonocarpa*
ORCHIDACEAE



398 *Jablonskia congesta*
PHYLLANTHACEAE



399 *Jablonskia congesta*
PHYLLANTHACEAE



400 *Picramnia sellowii*
PICRAMNIACEAE



401 *Picramnia sellowii*
PICRAMNIACEAE



402 *Hymenachne donacifolia*
POACEAE



403 *Hymenachne donacifolia*
POACEAE



404 *Securidaca divaricata*
POLYGALACEAE



405 *Securidaca divaricata*
POLYGALACEAE

				
406 <i>Securidaca divaricata</i> POLYGALACEAE	407 <i>Securidaca paniculata</i> POLYGALACEAE	408 <i>Securidaca paniculata</i> POLYGALACEAE	409 <i>Microgramma</i> cf. <i>lycopodioides</i> POLYPODIACEAE	410 <i>Microgramma</i> cf. <i>lycopodioides</i> POLYPODIACEAE
				
411 <i>Microgramma</i> cf. <i>lycopodioides</i> POLYPODIACEAE	412 <i>Microgramma megalophylla</i> POLYPODIACEAE	413 <i>Microgramma megalophylla</i> POLYPODIACEAE	414 <i>Microgramma megalophylla</i> POLYPODIACEAE	415 <i>Microgramma megalophylla</i> POLYPODIACEAE
				
416 <i>Microgramma percussa</i> POLYPODIACEAE	417 <i>Microgramma percussa</i> POLYPODIACEAE	418 <i>Phlebodium decumanum</i> POLYPODIACEAE	419 <i>Phlebodium decumanum</i> POLYPODIACEAE	420 <i>Phlebodium decumanum</i> POLYPODIACEAE

Diversidad florística del río Lagartococha, Reserva de Producción Faunística Cuyabeno, Amazonia ecuatoriana			
Floristic diversity of the Lagartococha River basin, Cuyabeno Wildlife Reserve, Ecuadorian Amazon			
Nicolas Carvajal ¹  , Thomas L.P. Couvreur ^{1,2}  , Kevin S. Burgess ^{3,4}  , Edison Rea ^{1,5}  , Andrea Fernández ¹  , Renata Barrera ¹  , Francisco Tobar ^{6,7}  , Alix Lozinguez ^{1,2}  , Alvaro J. Pérez ¹ 			
1 Herbario QCA, Escuela de Ciencias Biológicas, Pontificia Universidad Católica del Ecuador, Quito, Ecuador, 2 DIADE, Univ Montpellier, CIRAD, IRD, Montpellier, France. 3 Department of Biomedical Sciences, Mercer University School of Medicine, 1633 1st Avenue, Columbus, Georgia 31901, USA. 4 Department of Biology, Columbus State University, Columbus, GA 31907, USA. 5 Department of Biology, University of Kentucky, Lexington, Kentucky 40506, USA. 6 Área de Investigación y Monitoreo de Avifauna, Aves y Conservación-BirdLife en Ecuador, Quito, Ecuador. 7 Herbario Nacional del Ecuador, Instituto Nacional de Biodiversidad, Pasaje Rumipamba 341 y Av. de los Shyris, 170135, Quito, Pichincha, Ecuador			
Email: ajperezc@puce.edu.ec	Bosques Latitud Cero 15(2), 63-105. 2025	https://doi.org/10.54753/blc.v15i2.2424	



421 *Phlebodium decumanum*
POLYPODIACEAE



422 *Pleopeltis bombycina*
POLYPODIACEAE



423 *Pleopeltis bombycina*
POLYPODIACEAE



424 *Serpocaulon triseriale*
POLYPODIACEAE



425 *Serpocaulon triseriale*
POLYPODIACEAE



426 *Serpocaulon triseriale*
POLYPODIACEAE



427 *Serpocaulon triseriale*
POLYPODIACEAE



428 *Panopsis rubescens*
PROTEACEAE




429 *Panopsis rubescens*
PROTEACEAE



430 *Panopsis rubescens*
PROTEACEAE



431 *Ceratopteris pteridoides*
PTERIDACEAE



432 *Ceratopteris pteridoides*
PTERIDACEAE



433 *Ceratopteris pteridoides*
PTERIDACEAE



434 *Quiina macrophylla*
QUIINACEAE



435 *Quiina macrophylla*
QUIINACEAE

Diversidad florística del río Lagartococha, Reserva de Producción Faunística Cuyabeno, Amazonia ecuatoriana			
Floristic diversity of the Lagartococha River basin, Cuyabeno Wildlife Reserve, Ecuadorian Amazon			
Nicolas Carvajal ¹ , Thomas L.P. Couvreur ^{1,2} , Kevin S. Burgess ^{3,4} , Edison Rea ^{1,5} , Andrea Fernández ¹ , Renata Barrera ¹ , Francisco Tobar ^{6,7} , Alix Lozinguez ^{1,2} , Alvaro J. Pérez ¹			
1 Herbario QCA, Escuela de Ciencias Biológicas, Pontificia Universidad Católica del Ecuador, Quito, Ecuador, 2 DIADE, Univ Montpellier, CIRAD, IRD, Montpellier, France. 3 Department of Biomedical Sciences, Mercer University School of Medicine, 1633 1st Avenue, Columbus, Georgia 31901, USA. 4 Department of Biology, Columbus State University, Columbus, GA 31907, USA. 5 Department of Biology, University of Kentucky, Lexington, Kentucky 40506, USA. 6 Área de Investigación y Monitoreo de Avifauna, Aves y Conservación-BirdLife en Ecuador, Quito, Ecuador. 7 Herbario Nacional del Ecuador, Instituto Nacional de Biodiversidad, Pasaje Rumipamba 341 y Av. de los Shyris, 170135, Quito, Pichincha, Ecuador			
Email: ajperezc@puce.edu.ec		Bosques Latitud Cero 15(2), 63-105. 2025	https://doi.org/10.54753/blc.v15i2.2424



436 *Bothriospora corymbosa*
RUBIACEAE



437 *Bothriospora corymbosa*
RUBIACEAE



438 *Bothriospora corymbosa*
RUBIACEAE



439 *Ciliosemina pedunculata*
RUBIACEAE



440 *Ciliosemina pedunculata*
RUBIACEAE



441 *Coussarea amplifolia*
RUBIACEAE



442 *Coussarea amplifolia*
RUBIACEAE



443 *Coussarea amplifolia*
RUBIACEAE



444 *Duroia petiolaris*
RUBIACEAE



445 *Duroia petiolaris*
RUBIACEAE



446 *Duroia petiolaris*
RUBIACEAE



447 *Duroia petiolaris*
RUBIACEAE



448 *Faramaea stoneana* subsp. *fasciculata*
RUBIACEAE



449 *Faramaea stoneana* subsp. *fasciculata*
RUBIACEAE




450 *Hillia illustris*
RUBIACEAE

Diversidad florística del río Lagartococha, Reserva de Producción Faunística Cuyabeno, Amazonia ecuatoriana Floristic diversity of the Lagartococha River basin, Cuyabeno Wildlife Reserve, Ecuadorian Amazon			
Nicolas Carvajal ¹  , Thomas L.P. Couvreur ^{1,2}  , Kevin S. Burgess ^{3,4}  , Edison Rea ^{1,5}  , Andrea Fernández ¹  , Renata Barrera ¹  , Francisco Tobar ^{6,7}  , Alix Lozinguez ^{1,2}  , Alvaro J. Pérez ¹ 			
1 Herbario QCA, Escuela de Ciencias Biológicas, Pontificia Universidad Católica del Ecuador, Quito, Ecuador, 2 DIADE, Univ Montpellier, CIRAD, IRD, Montpellier, France. 3 Department of Biomedical Sciences, Mercer University School of Medicine, 1633 1st Avenue, Columbus, Georgia 31901, USA. 4 Department of Biology, Columbus State University, Columbus, GA 31907, USA. 5 Department of Biology, University of Kentucky, Lexington, Kentucky 40506, USA. 6 Área de Investigación y Monitoreo de Avifauna, Aves y Conservación-BirdLife en Ecuador, Quito, Ecuador. 7 Herbario Nacional del Ecuador, Instituto Nacional de Biodiversidad, Pasaje Rumipamba 341 y Av. de los Shyris, 170135, Quito, Pichincha, Ecuador			
Email: ajperezc@puce.edu.ec	Bosques Latitud Cero 15(2), 63-105. 2025	https://doi.org/10.54753/blc.v15i2.2424	

				
451 <i>Hillia illustris</i> RUBIACEAE	452 <i>Hillia illustris</i> RUBIACEAE	453 <i>Hillia illustris</i> RUBIACEAE	454 <i>Hillia ulei</i> RUBIACEAE	455 <i>Hillia ulei</i> RUBIACEAE
				
456 <i>Hillia ulei</i> RUBIACEAE	457 <i>Palicourea fastigiata</i> RUBIACEAE	458 <i>Palicourea fastigiata</i> RUBIACEAE	459 <i>Posoqueria longiflora</i> RUBIACEAE	460 <i>Posoqueria longiflora</i> RUBIACEAE
				
461 <i>Posoqueria longiflora</i> RUBIACEAE	462 <i>Psychotria anceps</i> RUBIACEAE	463 <i>Psychotria anceps</i> RUBIACEAE	464 <i>Uncaria guianensis</i> RUBIACEAE	465 <i>Uncaria guianensis</i> RUBIACEAE

Diversidad florística del río Lagartococha, Reserva de Producción Faunística Cuyabeno, Amazonia ecuatoriana			
Floristic diversity of the Lagartococha River basin, Cuyabeno Wildlife Reserve, Ecuadorian Amazon			
Nicolas Carvajal ¹ , Thomas L.P. Couvreur ^{1,2} , Kevin S. Burgess ^{3,4} , Edison Rea ^{1,5} , Andrea Fernández ¹ , Renata Barrera ¹ , Francisco Tobar ^{6,7} , Alix Lozinguez ^{1,2} , Alvaro J. Pérez ¹			
1 Herbario QCA, Escuela de Ciencias Biológicas, Pontificia Universidad Católica del Ecuador, Quito, Ecuador, 2 DIADE, Univ Montpellier, CIRAD, IRD, Montpellier, France. 3 Department of Biomedical Sciences, Mercer University School of Medicine, 1633 1st Avenue, Columbus, Georgia 31901, USA. 4 Department of Biology, Columbus State University, Columbus, GA 31907, USA. 5 Department of Biology, University of Kentucky, Lexington, Kentucky 40506, USA. 6 Área de Investigación y Monitoreo de Avifauna, Aves y Conservación-BirdLife en Ecuador, Quito, Ecuador. 7 Herbario Nacional del Ecuador, Instituto Nacional de Biodiversidad, Pasaje Rumipamba 341 y Av. de los Shyris, 170135, Quito, Pichincha, Ecuador			
Email: ajperezc@puce.edu.ec	Bosques Latitud Cero 15(2), 63-105. 2025	https://doi.org/10.54753/blc.v15i2.2424	

				
466 <i>Uncaria guianensis</i> RUBIACEAE	467 <i>Zanthoxylum</i> sp. 1 RUTACEAE	468 <i>Zanthoxylum</i> sp. 1 RUTACEAE	469 <i>Zanthoxylum</i> sp. 1 RUTACEAE	470 <i>Azolla</i> sp. 1 SALVINIACEAE
				
471 <i>Salvinia auriculata</i> SALVINIACEAE	472 <i>Salvinia auriculata</i> SALVINIACEAE	473 <i>Phoradendron obtusissimum</i> SANTALACEAE	474 <i>Phoradendron obtusissimum</i> SANTALACEAE	475 <i>Phoradendron obtusissimum</i> SANTALACEAE
				
476 <i>Matayba macrolepis</i> SAPINDACEAE	477 <i>Matayba macrolepis</i> SAPINDACEAE	478 <i>Matayba macrolepis</i> SAPINDACEAE	479 <i>Chrysophyllum</i> cf. <i>venezuelanense</i> SAPOTACEAE	480 <i>Chrysophyllum</i> cf. <i>venezuelanense</i> SAPOTACEAE

Diversidad florística del río Lagartococha, Reserva de Producción Faunística Cuyabeno, Amazonia ecuatoriana Floristic diversity of the Lagartococha River basin, Cuyabeno Wildlife Reserve, Ecuadorian Amazon			
Nicolas Carvajal ¹ , Thomas L.P. Couvreur ^{1,2} , Kevin S. Burgess ^{3,4} , Edison Rea ^{1,5} , Andrea Fernández ¹ , Renata Barrera ¹ , Francisco Tobar ^{6,7} , Alix Lozinguez ^{1,2} , Álvaro J. Pérez ¹			
1 Herbario QCA, Escuela de Ciencias Biológicas, Pontificia Universidad Católica del Ecuador, Quito, Ecuador, 2 DIADE, Univ Montpellier, CIRAD, IRD, Montpellier, France. 3 Department of Biomedical Sciences, Mercer University School of Medicine, 1633 1st Avenue, Columbus, Georgia 31901, USA. 4 Department of Biology, Columbus State University, Columbus, GA 31907, USA. 5 Department of Biology, University of Kentucky, Lexington, Kentucky 40506, USA. 6 Área de Investigación y Monitoreo de Avifauna, Aves y Conservación-BirdLife en Ecuador, Quito, Ecuador. 7 Herbario Nacional del Ecuador, Instituto Nacional de Biodiversidad, Pasaje Rumipamba 341 y Av. de los Shyris, 170135, Quito, Pichincha, Ecuador			
Email: ajperezc@puce.edu.ec		Bosques Latitud Cero 15(2), 63-105. 2025	https://doi.org/10.54753/blc.v15i2.2424



481 *Chrysophyllum* cf. *venezuelanense*
SAPOTACEAE



482 *Manilkara inundata*
SAPOTACEAE



483 *Manilkara inundata*
SAPOTACEAE



484 *Actinostachys pennula*
SCHIZAEACEAE



485 *Actinostachys pennula*
SCHIZAEACEAE



486 *Actinostachys pennula*
SCHIZAEACEAE



487 *Simaba orinocensis*
SIMAROUBACEAE



488 *Simaba orinocensis*
SIMAROUBACEAE



489 *Simaba orinocensis*
SIMAROUBACEAE



490 *Siparuna cervicornis*
SIPARUNACEAE




491 *Siparuna cervicornis*
SIPARUNACEAE



492 *Solanum thelopodium*
SOLANACEAE



493 *Solanum thelopodium*
SOLANACEAE



494 *Solanum thelopodium*
SOLANACEAE



495 *Solanum thelopodium*
SOLANACEAE

Diversidad florística del río Lagartococha, Reserva de Producción Faunística Cuyabeno, Amazonia ecuatoriana			
Floristic diversity of the Lagartococha River basin, Cuyabeno Wildlife Reserve, Ecuadorian Amazon			
Nicolas Carvajal ¹ , Thomas L.P. Couvreur ^{1,2} , Kevin S. Burgess ^{3,4} , Edison Rea ^{1,5} , Andrea Fernández ¹ , Renata Barrera ¹ , Francisco Tobar ^{6,7} , Alix Lozinguez ^{1,2} , Alvaro J. Pérez ¹			
1 Herbario QCA, Escuela de Ciencias Biológicas, Pontificia Universidad Católica del Ecuador, Quito, Ecuador, 2 DIADE, Univ Montpellier, CIRAD, IRD, Montpellier, France. 3 Department of Biomedical Sciences, Mercer University School of Medicine, 1633 1st Avenue, Columbus, Georgia 31901, USA. 4 Department of Biology, Columbus State University, Columbus, GA 31907, USA. 5 Department of Biology, University of Kentucky, Lexington, Kentucky 40506, USA. 6 Área de Investigación y Monitoreo de Avifauna, Aves y Conservación-BirdLife en Ecuador, Quito, Ecuador. 7 Herbario Nacional del Ecuador, Instituto Nacional de Biodiversidad, Pasaje Rumipamba 341 y Av. de los Shyris, 170135, Quito, Pichincha, Ecuador			
Email: ajperez@puce.edu.ec	Bosques Latitud Cero 15(2), 63-105. 2025	https://doi.org/10.54753/blc.v15i2.2424	



496 *Coussapoa trinervia*
URTICACEAE



497 *Coussapoa trinervia*
URTICACEAE




498 *Coussapoa trinervia*
URTICACEAE



499 *Corynostylis arborea*
VIOLACEAE



500 *Corynostylis arborea*
VIOLACEAE



501 *Corynostylis arborea*
VIOLACEAE



502 *Leonia glycycarpa*
VIOLACEAE



503 *Leonia glycycarpa*
VIOLACEAE



504 *Leonia glycycarpa*
VIOLACEAE



505 *Leonia glycycarpa*
VIOLACEAE

Diversidad florística del río Lagartococha, Reserva de Producción Faunística Cuyabeno, Amazonia ecuatoriana Floristic diversity of the Lagartococha River basin, Cuyabeno Wildlife Reserve, Ecuadorian Amazon			
Nicolas Carvajal ¹ , Thomas L.P. Couvreur ^{1,2} , Kevin S. Burgess ^{3,4} , Edison Rea ^{1,5} , Andrea Fernández ¹ , Renata Barrera ¹ , Francisco Tobar ^{6,7} , Alix Lozinguez ^{1,2} , Álvaro J. Pérez ¹			
1 Herbario QCA, Escuela de Ciencias Biológicas, Pontificia Universidad Católica del Ecuador, Quito, Ecuador, 2 DIADE, Univ Montpellier, CIRAD, IRD, Montpellier, France. 3 Department of Biomedical Sciences, Mercer University School of Medicine, 1633 1st Avenue, Columbus, Georgia 31901, USA. 4 Department of Biology, Columbus State University, Columbus, GA 31907, USA. 5 Department of Biology, University of Kentucky, Lexington, Kentucky 40506, USA. 6 Area de Investigación y Monitoreo de Avifauna, Aves y Conservación-BirdLife en Ecuador, Quito, Ecuador. 7 Herbario Nacional del Ecuador, Instituto Nacional de Biodiversidad, Pasaje Rumipamba 341 y Av. de los Shyris, 170135, Quito, Pichincha, Ecuador			
Email: ajperezc@puce.edu.ec		Bosques Latitud Cero 15(2), 63-105. 2025	https://doi.org/10.54753/blc.v15i2.2424

Table 1. Check list for the species recorded along the Lagartococha river.

Photo N°	Family	Species
1–3	Anacardiaceae	<i>Tapirira guianensis</i> Aubl.
4–6	Annonaceae	<i>Anaxagorea brachycarpa</i> R.E. Fr.
7–11	Annonaceae	<i>Annona</i> cf. <i>ambotay</i> Aubl.
12–14	Annonaceae	<i>Annona edulis</i> (Triana & Planch.) H. Rainer
15–16	Annonaceae	<i>Annona hypoglaucula</i> Mart.
17–20	Annonaceae	<i>Annona</i> sp. 1
21–23	Annonaceae	<i>Annona</i> sp. 2
24–26	Annonaceae	<i>Crematosperma cauliflorum</i> R.E. Fr.
27–28	Annonaceae	<i>Duguetia macrophylla</i> R.E. Fr.
29–31	Annonaceae	<i>Duguetia odorata</i> (Diels) J.F. Macbr.
32–34	Annonaceae	<i>Duguetia spixiana</i> Mart.
35–36	Annonaceae	<i>Duguetia</i> sp. 1
37–39	Annonaceae	<i>Guatteria</i> cf. <i>modesta</i> Diels
40–42	Annonaceae	<i>Guatteria pastazae</i> R.E. Fr.
43–45	Annonaceae	<i>Guatteria</i> cf. <i>punctata</i> (Aubl.) R.A. Howard
46–48	Annonaceae	<i>Guatteria stipitata</i> Ruiz & Pav.
49–52	Annonaceae	<i>Guatteria</i> sp. 1
53–54	Annonaceae	<i>Guatteria</i> sp. 2
55–58	Annonaceae	<i>Klarobelia cauliflora</i> Chatrou
59–61	Annonaceae	<i>Oxandra euneura</i> Diels
62–66	Annonaceae	<i>Oxandra leucodermis</i> (Spruce ex Benth.) Warm.
67–69	Annonaceae	<i>Pseudoxandra laevigata</i> (Mart.) Maas
70–73	Annonaceae	<i>Trigynaea triplinervis</i> D.M. Johnson & N.A. Murray
72–75	Annonaceae	<i>Unonopsis floribunda</i> Diels
76–78	Annonaceae	<i>Unonopsis guatteriioides</i> (A. DC.) R.E. Fr.
79–81	Annonaceae	<i>Unonopsis</i> sp. 1
82–84	Annonaceae	<i>Xylopia crinita</i> R.E. Fr.
85–89	Annonaceae	<i>Xylopia excellens</i> R.E. Fr.
90–92	Annonaceae	<i>Xylopia multiflora</i> R.E. Fr.
93–95	Annonaceae	<i>Xylopia nitida</i> Dunal
96–98	Annonaceae	<i>Xylopia parviflora</i> (A. Rich.) Benth.
99–101	Apocynaceae	<i>Lacmellea</i> cf. <i>floribunda</i> (Poepp.) Benth.
102–103	Aquifoliaceae	<i>Ilex inundata</i> Poepp. ex Reissek
104–105	Araceae	<i>Anthurium</i> sp. 1
106–107	Araceae	<i>Montrichardia linifera</i> (Arruda) Schott
108–111	Araceae	<i>Philodendron</i> aff. <i>coriaceum</i> Croat & D.C. Bay
112–113	Araceae	<i>Philodendron</i> sp. 1

Diversidad florística del río Lagartococha, Reserva de Producción Faunística Cuyabeno, Amazonia ecuatoriana Floristic diversity of the Lagartococha River basin, Cuyabeno Wildlife Reserve, Ecuadorian Amazon			
Nicolas Carvajal ¹ , Thomas L.P. Couvreur ^{1,2} , Kevin S. Burgess ^{3,4} , Edison Rea ^{1,5} , Andrea Fernández ¹ , Renata Barrera ¹ , Francisco Tobar ^{6,7} , Alix Lozinguez ^{1,2} , Álvaro J. Pérez ¹			
1 Herbario QCA, Escuela de Ciencias Biológicas, Pontificia Universidad Católica del Ecuador, Quito, Ecuador, 2 DIADE, Univ Montpellier, CIRAD, IRD, Montpellier, France. 3 Department of Biomedical Sciences, Mercer University School of Medicine, 1633 1st Avenue, Columbus, Georgia 31901, USA. 4 Department of Biology, Columbus State University, Columbus, GA 31907, USA. 5 Department of Biology, University of Kentucky, Lexington, Kentucky 40506, USA. 6 Área de Investigación y Monitoreo de Avifauna, Aves y Conservación-BirdLife en Ecuador, Quito, Ecuador. 7 Herbario Nacional del Ecuador, Instituto Nacional de Biodiversidad, Pasaje Rumipamba 341 y Av. de los Shyris, 170135, Quito, Pichincha, Ecuador			
Email: ajperezc@puce.edu.ec	Bosques Latitud Cero 15(2), 63-105. 2025	https://doi.org/10.54753/blc.v15i2.2424	

Photo N°	Family	Species
114–115	Araceae	<i>Pistia stratiotes</i> L.
116–118	Araceae	<i>Stenospermation amomifolium</i> (Poepp.) Schott
119	Arecaceae	<i>Astrocaryum jauari</i> Mart.
120–121	Arecaceae	<i>Astrocaryum murumuru</i> Mart.
122–124	Arecaceae	<i>Desmoncus giganteus</i> A.J. Hend.
125–127	Arecaceae	<i>Geonoma deversa</i> (Poit.) Kunth
128–131	Arecaceae	<i>Geonoma laxiflora</i> Mart.
132–134	Arecaceae	<i>Geonoma macrostachys</i> Mart.
135–137	Arecaceae	<i>Geonoma stricta</i> (Poit.) Kunth
138–139	Arecaceae	<i>Hyospathe elegans</i> Mart.
140–141	Aspleniaceae	<i>Asplenium stuebelianum</i> Hieron.
142–144	Asteraceae	<i>Eclipta prostrata</i> (L.) L.
145–147	Bignoniaceae	<i>Arrabidaea</i> sp. 1
148–151	Bignoniaceae	<i>Tanaecium jaroba</i> Sw.
152–155	Bixaceae	<i>Cochlospermum orinocense</i> (Kunth) Steud.
156	Bromeliaceae	<i>Neoregelia stolonifera</i> L.B. Sm.
157	Bromeliaceae	<i>Tillandsia adpressiflora</i> Mez
158–160	Bromeliaceae	sp.1
161–163	Burseraceae	<i>Protium unifoliolatum</i> Engl.
164–165	Cactaceae	<i>Epiphyllum phyllanthus</i> (L.) Haw.
166–167	Cactaceae	<i>Pseudorhipsalis amazonica</i> Haw
168–169	Cactaceae	<i>Rhipsalis baccifera</i> (Sol.) Stearn
170–172	Calophyllaceae	<i>Marila laxiflora</i> Rusby
173–174	Caryocaraceae	<i>Caryocar glabrum</i> (Aubl.) Pers.
175–177	Chrysobalanaceae	<i>Couepia chrysocalyx</i> (Poepp.) Benth. ex Hook. f.
178–181	Chrysobalanaceae	<i>Couepia ulei</i> Pilg.
182–185	Chrysobalanaceae	<i>Hirtella elongata</i> Mart. & Zucc.
186–187	Chrysobalanaceae	<i>Parinari</i> sp. 1
188–189	Clusiaceae	<i>Clusia</i> sp. 1
190–192	Clusiaceae	<i>Clusia</i> sp. 2
193–194	Clusiaceae	<i>Tovomita</i> sp. 1
195–196	Combretaceae	<i>Combretum laxum</i> Jacq.
197–199	Combretaceae	<i>Combretum llewelynii</i> J.F. Macbr.
200–202	Convolvulaceae	<i>Aniseia martinicensis</i> (Jacq.) Choisy
203–204	Convolvulaceae	<i>Dicranostyles ampla</i> Ducke
205–207	Convolvulaceae	<i>Dicranostyles</i> sp. 1
208–209	Dichapetalaceae	<i>Tapura amazonica</i> Poepp.
210–212	Dichapetalaceae	<i>Tapura guianensis</i> Aubl.
213–214	Dilleniaceae	<i>Davilla</i> cf. <i>rugosa</i> Poir.

Diversidad florística del río Lagartococha, Reserva de Producción Faunística Cuyabeno, Amazonia ecuatoriana Floristic diversity of the Lagartococha River basin, Cuyabeno Wildlife Reserve, Ecuadorian Amazon			
Nicolas Carvajal ¹ , Thomas L.P. Couvreur ^{1,2} , Kevin S. Burgess ^{3,4} , Edison Rea ^{1,5} , Andrea Fernández ¹ , Renata Barrera ¹ , Francisco Tobar ^{6,7} , Alix Lozinguez ^{1,2} , Álvaro J. Pérez ¹			
1 Herbario QCA, Escuela de Ciencias Biológicas, Pontificia Universidad Católica del Ecuador, Quito, Ecuador, 2 DIADE, Univ Montpellier, CIRAD, IRD, Montpellier, France. 3 Department of Biomedical Sciences, Mercer University School of Medicine, 1633 1st Avenue, Columbus, Georgia 31901, USA. 4 Department of Biology, Columbus State University, Columbus, GA 31907, USA. 5 Department of Biology, University of Kentucky, Lexington, Kentucky 40506, USA. 6 Area de Investigación y Monitoreo de Avifauna, Aves y Conservación-BirdLife en Ecuador, Quito, Ecuador. 7 Herbario Nacional del Ecuador, Instituto Nacional de Biodiversidad, Pasaje Rumipamba 341 y Av. de los Shyris, 170135, Quito, Pichincha, Ecuador			
Email: ajperezc@puce.edu.ec		Bosques Latitud Cero 15(2), 63-105. 2025	https://doi.org/10.54753/blc.v15i2.2424

Photo N°	Family	Species
215–217	Dryopteridaceae	<i>Elaphoglossum</i> sp. 1
218–219	Ebenaceae	<i>Diospyros artanthifolia</i> Mart. ex Miq.
220–222	Erythroxylaceae	<i>Erythroxylum macrophyllum</i> var. <i>ecuadorensis</i> Plowman
223–226	Euphorbiaceae	<i>Mabea nitida</i> var. <i>albiflora</i> Müll. Arg.
227–229	Fabaceae	<i>Albizia subdimidiata</i> (Splitg.) Barneby & J.W. Grimes
230–232	Fabaceae	<i>Crudia glaberrima</i> (Steud.) J.F. Macbr.
233–235	Fabaceae	<i>Enterolobium barnebianum</i> Mesquita & M.F. Silva
236–239	Fabaceae	<i>Hydrochorea corymbosa</i> (Rich.) Barneby & J.W. Grimes
240–241	Fabaceae	<i>Inga cordatoalata</i> Ducke
242–244	Fabaceae	<i>Inga leiocalycina</i> Benth.
245–246	Fabaceae	<i>Inga velutina</i> Willd.
247–248	Fabaceae	<i>Macrolobium acaciifolium</i> (Benth.) Benth.
249–251	Fabaceae	<i>Macrolobium multijugum</i> (DC.) Benth.
252–253	Fabaceae	<i>Swartzia klugii</i> (R.S. Cowan) Torke
254–256	Fabaceae	sp. 1
257–258	Gentianaceae	<i>Potalia amara</i> Aubl.
259–261	Gesneriaceae	<i>Drymonia coccinea</i> (Aubl.) Wiehler
262–263	Gesneriaceae	<i>Drymonia macrophylla</i> (Oerst.) H.E. Moore
264–266	Gnetaceae	<i>Gnetum leyboldii</i> Tul.
267–269	Hippocrateaceae	<i>Hippocratea volubilis</i> L.
270–272	Humiriaceae	<i>Vantanea</i> sp. 1
273–274	Hymenophyllaceae	<i>Trichomanes tanaicum</i> J.W. Sturm
275–277	Lauraceae	<i>Endlicheria pyriformis</i> (Nees) Mez
278–284	Lauraceae	<i>Endlicheria</i> sp. 1
285–287	Lauraceae	<i>Nectandra</i> cf. <i>oppositifolia</i> Nees & Mart.
288–290	Lauraceae	<i>Ocotea</i> cf. <i>cernua</i> (Nees) Mez
291–293	Lauraceae	<i>Ocotea</i> sp. 1
294–295	Lauraceae	<i>Pleurothyrium</i> sp. 1
296–298	Lecythidaceae	<i>Eschweilera parvifolia</i> Mart. ex DC.
299–300	Lentibulariaceae	<i>Utricularia foliosa</i> L.
301–304	Lentibulariaceae	<i>Utricularia inflata</i> var. <i>minor</i> Chapm.
305–306	Lycopodiaceae	<i>Phlegmariurus linifolius</i> var. <i>jenmanii</i> (Underw. & F.E. Lloyd) B. Øllg.
307–309	Malpighiaceae	<i>Heteropterys orinocensis</i> (Kunth) A. Juss.
310–312	Malvaceae	<i>Hibiscus sororius</i> L.
313–316	Malvaceae	<i>Matisia bracteolosa</i> Ducke
317–319	Melastomataceae	<i>Henriettea</i> sp. 1
320–323	Melastomataceae	<i>Miconia stenoptera</i> (Gleason) Michelang.
324–326	Melastomataceae	<i>Miconia</i> sp. 1
327–328	Meliaceae	<i>Guarea</i> cf. <i>grandifolia</i> DC.

Diversidad florística del río Lagartococha, Reserva de Producción Faunística Cuyabeno, Amazonia ecuatoriana		
Floristic diversity of the Lagartococha River basin, Cuyabeno Wildlife Reserve, Ecuadorian Amazon		
Nicolas Carvajal ¹  , Thomas L.P. Couvreur ^{1,2}  , Kevin S. Burgess ^{3,4}  , Edison Rea ^{1,5}  , Andrea Fernández ¹  , Renata Barrera ¹  , Francisco Tobar ^{6,7}  , Alix Lozinguez ^{1,2}  , Álvaro J. Pérez ¹ 		
1 Herbario QCA, Escuela de Ciencias Biológicas, Pontificia Universidad Católica del Ecuador, Quito, Ecuador, 2 DIADE, Univ Montpellier, CIRAD, IRD, Montpellier, France. 3 Department of Biomedical Sciences, Mercer University School of Medicine, 1633 1st Avenue, Columbus, Georgia 31901, USA. 4 Department of Biology, Columbus State University, Columbus, GA 31907, USA. 5 Department of Biology, University of Kentucky, Lexington, Kentucky 40506, USA. 6 Área de Investigación y Monitoreo de Avifauna, Aves y Conservación-BirdLife en Ecuador, Quito, Ecuador. 7 Herbario Nacional del Ecuador, Instituto Nacional de Biodiversidad, Pasaje Rumipamba 341 y Av. de los Shyris, 170135, Quito, Pichincha, Ecuador		
Email: ajperezc@puce.edu.ec	Bosques Latitud Cero 15(2), 63-105. 2025	 https://doi.org/10.54753/blc.v15i2.2424

Photo N°	Family	Species
329–331	Meliaceae	<i>Trichilia pachypoda</i> (Rusby) C. DC. ex Harms
332–333	Menispermaceae	<i>Abuta grandifolia</i> (Mart.) Sandwith
334–335	Moraceae	<i>Ficus americana</i> subsp. <i>guianensis</i> (Desv. ex Ham.) C.C. Berg
336–338	Moraceae	<i>Ficus</i> sp. 1
339–340	Moraceae	<i>Helicostylis tomentosa</i> (Poepp. & Endl.) Rusby
341–342	Myristicaceae	<i>Iryanthera</i> cf. <i>hostmannii</i> (Benth.) Warb.
343–344	Myristicaceae	<i>Iryanthera juruensis</i> Warb.
345–346	Myristicaceae	<i>Virola calophylla</i> (Spruce) Warb.
347–350	Myristicaceae	<i>Virola rufula</i> (A. DC.) Warb.
351–353	Myristicaceae	<i>Virola surinamensis</i> (Rol. ex Rottb.) Warb.
354–358	Myrtaceae	<i>Eugenia</i> cf. <i>florida</i> DC.
359–361	Myrtaceae	<i>Myrcia splendens</i> (Sw.) DC.
362–363	Myrtaceae	<i>Myrcia</i> sp. 1
364–366	Myrtaceae	<i>Plinia</i> sp. 1
367–368	Ochnaceae	<i>Ouratea superba</i> Engl.
369–372	Olacaceae	<i>Dulacia candida</i> (Poepp.) Kuntze
373–375	Onagraceae	<i>Ludwigia peploides</i> (Kunth) P.H. Raven
376–378	Onagraceae	<i>Ludwigia torulosa</i> (Arn.) H. Hara
379–380	Orchidaceae	<i>Cattleya violacea</i> (Lindl.) Beer
381–382	Orchidaceae	<i>Epidendrum</i> aff. <i>calanthum</i> Rchb. f. & Warsz.
383–384	Orchidaceae	<i>Epidendrum</i> aff. <i>longicollis</i> Lindl.
385–386	Orchidaceae	<i>Epidendrum nocturnum</i> Jacq.
387–388	Orchidaceae	<i>Eriopsis sceptrum</i> Rchb. f. & Warsz.
389–390	Orchidaceae	<i>Maxillaria violaceopunctata</i> Rchb. f.
391	Orchidaceae	<i>Pleurothallis determannii</i> Luer
392–393	Orchidaceae	<i>Polystachya</i> sp. 1
394–395	Orchidaceae	<i>Trichosalpinx orbicularis</i> Luer
396–397	Orchidaceae	<i>Vanilla trigonocarpa</i> Hoehne
398–399	Phyllanthaceae	<i>Jablonskia congesta</i> (Benth. ex Müll. Arg.) G.L. Webster
400–401	Picramniaceae	<i>Picramnia sellowii</i> subsp. <i>spruceana</i> (Engl.) Pirani
402–403	Poaceae	<i>Hymenachne donacifolia</i> (Raddi) Chase
404–406	Polygalaceae	<i>Securidaca divaricata</i> Nees & Mart.
407–408	Polygalaceae	<i>Securidaca paniculata</i> Rich.
409–411	Polypodiaceae	<i>Microgramma</i> cf. <i>lycopodioides</i> (L.) Copel.
412–415	Polypodiaceae	<i>Microgramma megalophylla</i> (Desv.) de la Sota
416–417	Polypodiaceae	<i>Microgramma percussa</i> (Cav.) de la Sota
418–421	Polypodiaceae	<i>Phlebodium decumanum</i> (Willd.) J. Sm.
422–423	Polypodiaceae	<i>Pleopeltis bombycina</i> (Maxon) A.R. Sm.
424–427	Polypodiaceae	<i>Serpocaulon triseriale</i> (Sw.) A.R. Sm.

Floristic diversity of the Lagartococha River basin, Cuyabeno Wildlife Reserve, Ecuadorian Amazon

<https://doi.org/10.54753/blc.v15i2.2424>

Photo N°	Family	Species
428–430	Proteaceae	<i>Panopsis rubescens</i> (Pohl) Pittier
431–433	Pteridaceae	<i>Ceratopteris pteridoides</i> (Hook.) Hieron.
434–435	Quiinaceae	<i>Quiina macrophylla</i> Tul.
436–438	Rubiaceae	<i>Bothriospora corymbosa</i> (Benth.) Hook. f.
439–440	Rubiaceae	<i>Ciliosemina pedunculata</i> (H. Karst.) Antonelli
441–443	Rubiaceae	<i>Coussarea amplifolia</i> C.M. Taylor
444–447	Rubiaceae	<i>Duroia petiolaris</i> Spruce ex K. Schum.
448–449	Rubiaceae	<i>Faramea stoneana</i> subsp. <i>fasciculata</i> C.M. Taylor
450–453	Rubiaceae	<i>Hillia illustris</i> (Vell.) K. Schum.
454–456	Rubiaceae	<i>Hillia ulei</i> K. Schum. ex Ule
457–458	Rubiaceae	<i>Palicourea fastigiata</i> Kunth
459–461	Rubiaceae	<i>Posoqueria longiflora</i> Aubl.
462–463	Rubiaceae	<i>Psychotria anceps</i> Kunth
464–466	Rubiaceae	<i>Uncaria guianensis</i> (Aubl.) J.F. Gmel.
467–469	Rutaceae	<i>Zanthoxylum</i> sp. 1
470	Salviniaceae	<i>Azolla</i> sp. 1
471–472	Salviniaceae	<i>Salvinia auriculata</i> Aubl.
473–475	Santalaceae	<i>Phoradendron obtusissimum</i> (Miq.) Eichler
476–478	Sapindaceae	<i>Matayba macrolepis</i> Radlk.
479–481	Sapotaceae	<i>Chrysophyllum</i> cf. <i>venezuelanense</i> (Pierre) T.D. Penn.
482–483	Sapotaceae	<i>Manilkara inundata</i> (Ducke) Ducke
484–486	Schizaeaceae	<i>Actinostachys pennula</i> (Sw.) Hook.
487–489	Simaroubaceae	<i>Simaba orinocensis</i> Kunth
490–491	Siparunaceae	<i>Siparuna cervicornis</i> Perkins
492–495	Solanaceae	<i>Solanum thelopodium</i> Sendtn.
496–498	Urticaceae	<i>Coussapoa trinervia</i> Spruce ex Mildbr.
499–501	Violaceae	<i>Corynostylis arborea</i> (L.) S.F. Blake
502–505	Violaceae	<i>Leonia glycycarpa</i> Ruiz & Pav.

Results presented here were funded by the European Research Council (ERC) under the European Union's Horizon 2020 research and innovation program (grant agreement no. 865787), the “Inventarios florísticos en Ecuador” project granted by PUCE (QINV0406-IINV529010100) and a grant to KSB from Columbus State University. Ministerio del Ambiente, Agua y Transición Ecológica del Ecuador issued permit under the numbers MAATE-ARSFC-2022-2237 and MAATE-ARSFC-2024-0434.

104

Diversidad florística del río Lagartococha, Reserva de Producción Faunística Cuyabeno, Amazonia ecuatoriana Floristic diversity of the Lagartococha River basin, Cuyabeno Wildlife Reserve, Ecuadorian Amazon			
Nicolas Carvajal ¹ , Thomas L.P. Couvreur ^{1,2} , Kevin S. Burgess ^{3,4} , Edison Rea ^{1,5} , Andrea Fernández ¹ , Renata Barrera ¹ , Francisco Tobar ^{6,7} , Alix Lozinguez ^{1,2} , Álvaro J. Pérez ¹			
1 Herbario QCA, Escuela de Ciencias Biológicas, Pontificia Universidad Católica del Ecuador, Quito, Ecuador, 2 DIADE, Univ Montpellier, CIRAD, IRD, Montpellier, France. 3 Department of Biomedical Sciences, Mercer University School of Medicine, 1633 1st Avenue, Columbus, Georgia 31901, USA. 4 Department of Biology, Columbus State University, Columbus, GA 31907, USA. 5 Department of Biology, University of Kentucky, Lexington, Kentucky 40506, USA. 6 Área de Investigación y Monitoreo de Avifauna, Aves y Conservación-BirdLife en Ecuador, Quito, Ecuador. 7 Herbario Nacional del Ecuador, Instituto Nacional de Biodiversidad, Pasaje Rumipamba 341 y Av. de los Shyris, 170135, Quito, Pichincha, Ecuador			
Email: ajperezc@puce.edu.ec		Bosques Latitud Cero 15(2), 63-105. 2025	https://doi.org/10.54753/blc.v15i2.2424

We are grateful to the QCA Herbarium for providing us with the space and facilities needed to identify the collected specimens.

Our appreciation goes to the DRACAENA travel agency for their valuable assistance in organizing and logistics prior to our expedition. Their dedication was evident in every detail, from providing essential information for the trip, the stay at Nicky Amazon Lodge, efficient coordination of river transport, and assigning an experienced canoeist, to ensuring quick and effective communication with the park rangers. Thanks to their commitment and professionalism, our expedition was successfully and safely carried out, allowing us to focus on our objectives with complete confidence.

AUTHORS CONTRIBUTION

All authors contributed equally toward field collections, herbarium work and field guide preparation. Photographs by T.L.P. Couvreur, E. Rea and N. Carvajal.

REFERENCES

- Cerón, C., Reyes, C., & Yépez, P. (2005). El bosque de Lagarto Cocha, Sucumbíos Ecuador. CINCHONIA, 6(1), 73-86.
- Denkinger, J. (2010). Estado del manatí del Amazonas (*Trichechus inunguis*) en la Reserva Cuyabeno, Ecuador. Avances En Ciencias E Ingenierías, Vol.2 Núm. 2. <https://doi.org/10.18272/aci.v2i2.29>
- Maas, P. J. M., Westra, L. Y. T., & Vermeer, M. (2007). Revision of the Neotropical genera *Bocageopsis*, *Onychopetalum*, and *Unonopsis* (Annonaceae). Blumea - Biodiversity Evolution And Biogeography Of Plants, 52(3), 413-554. <https://doi.org/10.3767/000651907x608909>
- Maas, P. J. M., Westra, L. Y. T., & Chatrou, L. W. (2003). *Duguetia* (Annonaceae). Flora Neotropica, 88, 1-274. <http://www.jstor.org/stable/4393920>
- Mestanza R. C, & Mooser, A. Environmental impacts of tourism in Cuyabeno Wildlife Reserve, Ecuador. International Journal of Engineering Sciences & Research Technology. 2018; 7(5), 312-317. <https://doi.org/10.5281/zenodo.1247018>
- Ministerio del Ambiente (2012). Plan de Manejo de la Reserva de Producción de Fauna Cuyabeno. Quito, Ecuador. 56 p
- Sioli, H. (1984). The Amazon and its main affluents: Hydrography, morphology of the river courses, and river

types. Monographiae Biologicae, 127-165. https://doi.org/10.1007/978-94-009-6542-3_5

- Terneus, E. (2017). Las plantas acuáticas en el sistema Lacustre-riberino Lagartococha, reserva de producción faunística Cuyabeno, Ecuador. Actual Biol, 29 (86): 97-106. <https://doi.org/10.17533/udea.acbi.329376>
- Tropicos.org/home.(<https://www.tropicos.org/home>) [accessed 23.08.2024]
- Valencia, R., Balslev, H., & Paz, G. (1994). High tree alpha-diversity in Amazonian Ecuador. Biodiversity and Conservation, 3(1), 21-28. <https://doi.org/10.1007/bf00115330>
- Vasquez, G., Caranqui, L., Lara, N., & Noboa, V. (2023). Floristic Composition and Diversity of a Transect in a Locality of the Lowland Evergreen Forest of the Amazon of Cuyabeno City. ESPOCH Congresses: The Ecuadorian Journal of S.T.E.A.M., 3(1), 298-311. <https://doi.org/10.18502/epoch.v3i1.14455>